BOSCH
Invented for life

Bosch Home Appliances
1.800.944.2904

www.bosch-home.com/us (U.S.)
www.bosch-home.ca (Canada)

MIX
Paper from responsible sources
FSC® C013636

©2011 BSH Home Appliances Corporation. ©2011 BSH Home Appliances Ltd. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH. All information presented herein is based on data available at the time of printing and is subject to change without notice.
SAP#2800002070. BSH#11-BOS-0001. Litho 8/11 MG

BOSCH

2011 Home Appliances Full Product Line

The taste and technology of German engineering.

2011 Home Appliances Full Product Line

BOSCH
Invented for life

What’s special about German engineering is special about Bosch.



Everyone knows Germans craft brilliant and efficient machines. The question is, Why? At Bosch, it’s because we relish a challenge. We prize the ability to overcome technological obstacles in order to produce precise, powerful appliances that perform better, are more intuitive and use fewer resources, while delivering world-class performance. Moreover, we aren’t afraid of the exacting work it takes to produce elegant, stylish products with the most advanced technology available. Combine that with rigorous technical education, strict German efficiency guidelines and over two hundred days of rain driving us inside for long periods, well, maybe it’s not that difficult to understand what drives Germans to engineer the world’s best machines.

Performance

We make smart products that anticipate your needs in order to reduce the everyday burdens on your life. Because Germans are punctual, we developed precise, **pre-set timers** that allow you to cook perfect meals with the touch of a button. Because we’re obsessed with making the most of your time, we give you **ovens with coordinated, intuitive controls**.

Quality

Bosch appliances are built to amaze and designed to entice, but they are also crafted to do the job extra-ordinarily well. Because **without quality, innovation is just for show**. By investing in top quality materials we produce components that are collectively built to last. For a German engineer, quality isn’t the goal, it’s the minimum standard.

Efficiency

At the heart of German engineering lies efficiency. We engineer efficiency in our water-saving dishwashers that **turn two gallons of water into the cleaning power of 1,300.** And in food preservation technology that preserves produce up to two times longer. Bosch is obsessed with innovations to **give you more while you use less.**

Green Technology inside

A **wise economist** once said:
“I’d rather lose money than trust.”

A **brilliant thinker** was convinced:
“Success isn’t a matter of perception. It’s a matter of character.”

An **industrialist** believed:
“All tasks are important, even the most modest.”

A **philosopher** knew:
“Where many people come together, cooperation is a must and each individual depends on the other.”

A **visionary** determined:
“If you aim for success, you will have to share responsibilities.”

An **engineer** said:
“No one should ever be satisfied with what he has achieved, but always endeavor to get better.”

All these words come from Robert Bosch, and are still being lived by all Bosch employees who carry on his spirit. This spirit is also imbedded in all our Bosch appliances—which help to make your life easier day after day. **IT’S THE BOSCH WAY.**

A Bosch kitchen says taste in every way.

Imagine a kitchen full of thoughtful, ingeniously appointed products that give your kitchen a seamlessly integrated look and provide consistently superior performance.

A Bosch kitchen can be flexible or custom fit. It can be for luxurious dinner parties or busy weeknight dinners. What it will never be, is anything less than tasteful.

Technologies that not only improve our daily life, but our future as well.

For Bosch, green technologies are central to how we innovate and improve the world we live in. Our team of engineers believes that you don't have to waste resources to create technologically superior products. As such, we're committed to making every tomorrow better—it's why we say we're invented for life.

Responsibility

Respect for man and nature has always been the guiding principle of our work at Bosch. This principle is an impetus for us to develop the most efficient home appliances and to produce them in observance of ecological criteria. With full performance for each of us—and full responsibility for all of us.

Efficiency

Backed by groundbreaking technological innovations, we engineer the most economical and efficient home appliances. In our dishwashers and laundry units, we maximize efficiency while delivering superior cleaning performance. SensoTronic® and EcoAction® adjust water temperature and cycle length based on the turbidity of the water. This maximizes the efficiency by using precisely the amount of water and energy needed to get your items clean. By placing touch controls on the outside of your refrigerator you don't have to open it to program the temperature, saving energy. In ways big and small, Bosch builds efficiency into everything we produce. It's what German engineering is all about.

Sustainability

As a leading durable goods company, we are conscious of our responsibility to society and future generations. Our activities are in harmony with our environment. That's why all of our facilities are certified 14001 by the International Organization for Standardization, meaning we adhere to the strictest environmental codes.

Transparency

Our activities are guided by integrity. Honesty and openness characterize our trusting relationship with our customers, employees and suppliers. This also includes a transparent information policy: we provide straightforward, comprehensible information and plain facts as a basis for decision-making.

Green Technology Inside

Look for this logo on Bosch products that feature groundbreaking innovations in sustainability and efficiency. The technologies we've developed help us achieve top performance while being extraordinarily economical in what is consumed, whether it's energy, resources, or both. And, like all Bosch appliances, they are produced under the strictest quality standards at sustainably built factories.

Green Technology inside

Table of Contents

10	28	40	52	66
Dishwashers	**Ovens, Microwaves, and Warming Drawers**	**Cooktops**	**Ranges**	**Ventilation**
				

74	86	96	104
Refrigeration	**Compact Laundry**	**Small Appliances**	**Technical Details, Dimensions and Installation**
			

Dishwashers

If you didn't notice it was a Bosch, you'd never know it was there. That's how quiet our dishwashers are. Our machines register as low as 39 dBA—making them the quietest in the U.S. Their performance speaks for itself, scrubbing the grime off the dirtiest plates and leaving glassware translucent and spot-free. Better still, they do all this with impressive efficiency, far surpassing recommended ENERGY STAR® levels in energy and water usage, using fewer resources for stellar results—all at a whisper.

There is a lot to say about something so quiet.

Quietness

You may have heard that Bosch is the quietest brand of dishwashers in the U.S.* and that there is no quieter dishwasher at any Bosch price point. Or maybe you haven't. Maybe you're not hearing anything much at all. That's because with three layers of sound-muffling material and our suspended, two-pump motor system that dramatically reduces vibration and noise, Bosch has created a kind of quiet that screams German engineering.

Noise matters. A three-decibel increase is the auditory equivalent of running two washers at once.



Engineering a quiet response

Quietest brand
Noise is measured in decibels (dBA). A whisper is about 30 dBA, and a normal conversation is about 60 dBA. As the quietest dishwashers in the U.S.,* Bosch has a silence rating as low as 39 dBA, equivalent to that of a library. All Bosch quiet levels are certified by an independent lab.

InfoLight®
Sometimes your dishwasher will be so quiet, you won't know it's on. That's why there's InfoLight, a small red light projected onto the floor to indicate that your dishwasher is still in one of its cycles.

Solid molded base
Solid construction and enhanced insulation reduce vibration and add to overall noise reduction.

Two-pump motor system
By using two small pumps to individually wash and drain instead of a single large one, vibration and noise are dramatically reduced.

Suspension motor
We've suspended our two-pump motor system using rubber hammocks to help absorb and minimize any vibration and noise.

*Based on available sound information on competitors' websites, May 2011.
**Based on standard-size dishwashers, according to ENERGY STAR®.

Efficiency

As the proud winner of the 2011 ENERGY STAR® Sustained Excellence Award, our commitment to efficiency is impressive. Case in point: Bosch can save you more than two gallons of water per load when compared to the industry average.** That's what you get with Bosch and the most efficient dishwasher in the U.S.** And innovations like EcoSense®, which adjusts water and heat usage automatically to reduce energy usage by up to 20% while minimizing water usage, are why Bosch dishwashers use half as much water as the industry average, saving up to 436 gallons a year.

A passion for efficiency

Most water-efficient
Bosch makes water work better by using less of it, as little as two gallons per cycle. Our dishwashers can save more than two gallons per cycle (Compared to the average dishwasher) without sacrificing cleaning performance. And we have the most water-efficient dishwasher in each class.

Most energy-efficient
The 800 Plus is the most efficient dishwasher in the U.S.** At 180 kilowatt hours per year, the 800 Plus far exceeds federal standard for efficiency. And we have the most energy-efficient dishwasher in each class.

ActiveWater™
Technology that utilizes design, water pressure and efficiency to turn two gallons of water into the cleaning power of more than 1,300.



Bosch water usage vs. industry average usage, in gallons per regular wash cycle (2010, AHAM shipments).

Flow-through water heater
Bosch dishwashers channel 100% of the water through tight coils in a confined heating chamber, which heats the water quickly and efficiently.

Half-load
Use this cycle when washing small, lightly soiled loads that fill half or less of the dishwasher's capacity. The Auto program uses sensor decisions to dramatically reduce energy and water consumption.

Quality

There are many standards of quality. Some rate performance, others design, materials and style, but we don’t stop until the product meets the exacting Bosch standard of German-engineered quality. That means using the highest-quality stainless steel along with other solid design materials. All housed in the most innovative machine we can produce. We strive to create dishwashers that meet our collective standards as the #1 dishwasher brand, a leadership that has been confirmed by leading consumer publications.

The artistic side of functionality

German-engineered quality
When we talk about German engineering, we’re talking about our commitment to producing the world’s best products. We use the smartest thinking to make complex machinery easy to operate while using the highest-quality materials to build them.

Good Housekeeping Seal
For more than 100 years, the Good Housekeeping Seal of Approval has been reassuring consumers that they’ve made the smart choice. Which is why we’re proud that all Bosch dishwashers are backed by the Good Housekeeping Seal of Approval.

Quality testing
100% of our dishwashers are tested at our New Bern, North Carolina, factory, and go through 485 individual quality control tests before being shipped. We test dishwashers through their traditional lifespan, up to 4,000 wash cycles, the equivalent of 10 years’ use.

*Certain limitations apply. See manufacturer’s limited warranty for details.

Stainless steel tub
Bosch dishwashers’ high-quality stainless steel construction retains heat better than plastic tubs, which helps dry dishes faster and more efficiently. They also come with a lifetime warranty against rust-through, because not all stainless steel tubs have the same quality.

Self-latching door
Keep the door at the position you want it when you open your Ascenta dishwasher or load your dishes. The self-latching door holds at any position, and if your door is open at less than 20°, the door will automatically close and latch shut.

Custom Panel
Pairing a custom cabinet panel with your washer amplifies your kitchen’s look by giving it a minimalist, avant-garde feel. Its sleek look disappears into your cabinetry for a quietly flush installation.



Performance

With Bosch, our sophisticated technologies aren’t just ultra-efficient, they’re ultra-effective at getting dishes clean and spot-free. And it's these technologies that have led to Bosch's standing as the top-rated dishwasher line in the U.S.

Variable spray pressure
Higher and lower spray pressure allows for better load customization and enhanced cleaning performance, based on the cycle that is selected.

Extra-tall item sprinkler
Hand-washing large items becomes a thing of the past, thanks to this handy innovation. Simply remove the top rack and place your serving platters, cookie sheets, hood filters and refrigerator shelves that are up to 22" high in the bottom rack.

ActiveTab® system
Innovatively designed and integrated into the middle of the dishwasher, ActiveTab helps dissolve detergent tablets more efficiently and effectively.

Water softener
The 800 Plus has a water-softening system that softens the water to the optimal level and eliminates spots caused by lime deposits left behind by hard water.

Triple-filtration system
The triple-filtration system uses a three-step process to remove even the finest dirt particles from the washing cycle, for sparkling-clean dishes and glasses every time. And all three filter elements are self-cleaning for worry-free operation.

Auto Wash
By detecting the amount of water and debris that is drained from the dishwasher each cycle, Auto Wash is able to optimize the amount of new water for following cycles, helping to maximize water and energy efficiency while maintaining top performance.

Capacity

Each Bosch dishwasher is designed to maximize space and flexibility, giving you the space you need to organize your dishes and clean them more efficiently.

800 Plus third rack
Unique V-shaped design helps to separate silverware, making it easier to clean, while providing extra room for large, odd-shaped cutlery and small dishes.

(Removable Silverware Rack shown)

Place settings
Bosch designs its racks to accommodate even the largest dinner parties, with most models able to hold up to 14 place settings in one load. And the 800 Plus leads them all with a capacity of up to 15.

RackMatic® and RackMatic Plus
The RackMatic and RackMatic Plus upper-basket height adjustment allows for one-step adjustment of the racks when loaded. In two simple steps, customize loading flexibility to accomodate large platters and tall glasses.

Silverware basket
The removable silverware basket can be placed anywhere in the dishwasher, adding space for other items. Plus, the flexible basket can be split into two pieces, placed side-by-side or back-to-back, for the ultimate flexibility in loading.

Safety

Arguably the safest on earth, Bosch dishwashers are the only ones in the U.S. with AquaStop,® our leak-protection system that automatically detects water in the base, shuts off operation and pumps it out.

AquaStop and AquaStop Plus
Bosch is the only U.S. manufacturer to offer a high-tech leak-protection system in their dishwashers. AquaStop is a precisely engineered tub and sensor system that detects leaks in the solid molded base of the dishwasher, shuts down operation and automatically pumps out water so it cannot make contact with the floor. This eliminates the risk of costly water damage. The AquaStop Plus, available on the 800 Plus Series, includes an electro valve at the water tap and a unique, double-walled hose system for the most comprehensive safety system available.

SaniDry™ condensation drying system
Condensation drying works by heating the dishes with hot water from the final rinse. The closed system does not draw outside air into the dishwasher, which makes it the most sanitary way to dry dishes.

24/7 overflow protection system
Only the Ascenta® 24/7 overflow protection system senses leaks even if the dishwasher is turned off. If water levels get too high, the dishwasher pumps the water out of the tub and closes the water inlet.

No exposed heating element
Our concealed flow-through water heater prevents plastic items on the bottom rack from melting and protects you from accidental burns during unloading.

Sanitize option
By operating at a higher temperature, the sanitize option meets National Sanitation Foundation (NSF) standards of cleanliness, eliminating 99.9% of bacteria, and enhances your drying results as well.

A family of dishwashers so quiet and efficient, they scream German engineering.

Ascenta Series	Ascenta Series	300 Series	500 Series	800 Series	800 Plus Series	800 Plus Series	800 Plus Series
50 dBA, 279 kWh/yr, 2.95 gal/load	50 dBA, 279 kWh/yr, 2.95 gal/load	48 dBA, 259 kWh/yr, 2.95 gal/load	46 dBA, 259 kWh/yr, 2.95 gal/load	44 dBA, 234 kWh/yr, 2.9 gal/load	42 dBA, 259 kWh/yr, 2.0 gal/load	40 dBA, 180 kWh/yr, 2.0 gal/load	 39 dBA, 200 kWh/yr, 2.0 gal/load
3-6-9 hour delay start	Manual adjustment rack	InfoLight®	Remaining time indicator	Express Wash	Water softener	EcoAction® option	Quietest dishwasher on the market
Sanitize option	3-6-9 hour delay start	Manual adjustment rack	InfoLight®	Remaining time indicator/LCD	Third rack	Water softener	EcoAction® option
Long silverware basket	Sanitize option	Sanitize option	RackMatic®	InfoLight®	Express Wash	Third rack	Water softener
Standard series racks	Long silverware basket	Long silverware basket	19-hour delay start	RackMatic®	Remaining time indicator	Express Wash	Third rack
24/7 overflow protection	300 series racks	300 series racks	Sanitize option	19-hour delay start	3-step RackMatic®	Remaining time indicator (large display)	Express Wash
4 cycles, 2 options	24/7 overflow protection	AquaStop®	Duo flexible silverware basket	Sanitize option	24-hour delay start	InfoLight®	Remaining time indicator/full text LCD
	6 cycles, 2 options	4 cycles, 1 option	500 series racks	Duo flexible silverware basket	Sanitize option	3-step RackMatic®	InfoLight®
			AquaStop®	800 series racks	Flexible silverware basket	24-hour delay start	3-step RackMatic®
			4 cycles, 2 options	AquaStop®	Vario™ racks	Sanitize option	24-hour delay start
				6 cycles, 3 options	AquaStop® Plus	Flexible silverware basket	Sanitize option
					5 cycles, 3 options	VarioFlex™ racks	Flexible silverware basket
						AquaStop® Plus	VarioFlex™ Plus racks
						6 cycles, 5 options	AquaStop® Plus
							6 cycles, 5 options

Dishwasher Specifications

Recessed handle

Recessed handle

Recessed handle

Recessed handle

Bar handle

Bar handle

Bar handle

Rated #2

Bar handle

Bar handle

	800 Plus Series	800 Plus Series	800 Plus Series	800 Series	800 Series
Model Numbers	SHE9ER55UC2 Stainless Steel recessed handle SHX9ER55UC1 Stainless Steel bar handle SHV9ER53UC1 Custom Panel	SHE8ER55UC2 Stainless Steel recessed handle SHX8ER55UC Stainless Steel bar handle	SHE7ER55UC2 Stainless Steel recessed handle SHX7ER55UC Stainless Steel bar handle SHV7ER53UC Custom Panel	SHX98M09UC Stainless Steel bar handle	SHE68R55UC3 Stainless Steel recessed handle SHE68R52UC3 White recessed handle SHE68R56UC3 Black recessed handle SHX68R55UC Stainless Steel bar handle SHX68R52UC White bar handle SHX68R56UC Black bar handle SHV68R53UC Custom Panel
Appearance	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub
	Six Wash Cycles and Five Options	Six Wash Cycles and Five Options	Five Wash Cycles and Three Options	Nine Wash Cycles and Two Options	Six Wash Cycles and Three Options
	Real Stainless Steel Fascia Panel	Real Stainless Steel Fascia Panel	Real Stainless Steel Fascia Panel		Real Stainless Steel Fascia Panel
	Full Text Display			Full Text Display	LCD Display
Quietness	Virtually Silent: 39 dBA	Virtually Silent: 40 dBA	Virtually Silent: 42 dBA	Virtually Silent: 42 dBA	Virtually Silent: 44 dBA
	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks
	InfoLight® Cycle Indicator LED	InfoLight® Cycle Indicator LED	InfoLight® Cycle Indicator LED		InfoLight® Cycle Indicator LED
	Quietest Dishwasher in the U.S.				
Efficiency	Saves 436 gallons of water each year	Saves 436 gallons of water each year	Saves 436 gallons of water each year	Saves 290 gallons of water each year	Saves 290 gallons of water each year
	200 kWh/yr—ENERGY STAR® Qualified	180 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified	190 kWh/yr—ENERGY STAR® Qualified	234 kWh/yr—ENERGY STAR® Qualified
	Exceeds ENERGY STAR® Requirements by 125% for Water	Exceeds ENERGY STAR® Requirements by 125% for Water	Exceeds ENERGY STAR® Requirements by 125% for Water	Exceeds ENERGY STAR® Requirements by 72% for Water	Exceeds ENERGY STAR® Requirements by 72% for Water
	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%
	Half-load Option for Small Loads	Half-load Option for Small Loads	Half-load Option for Small Loads		Half-load Option for Small Loads
		Most Efficient Dishwasher in the U.S.			
Safety	AquaStop® Plus Four-part 24/7 Leak Protection	AquaStop® Plus Four-part 24/7 Leak Protection	AquaStop® Plus Four-part 24/7 Leak Protection	AquaStop® Leak Protection	AquaStop® Leak Protection
				NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria
	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying
Capacity	15 Place Setting Capacity	15 Place Setting Capacity	15 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity
	VarioFlex™ Plus Racks with Flexible Silverware Basket	VarioFlex™ Racks with Flexible Silverware Basket	Vario™ Racks with Flexible Silverware Basket	800 Series Racks with Flexible Silverware Basket	800 Series Racks with Duo-Flex Silverware Basket
	RackMatic® Plus Allows Three Loading Levels	RackMatic® Plus Allows Three Loading Levels	RackMatic® Plus Allows Three Loading Levels	RackMatic® Automatically Adjustable Upper Rack	RackMatic® Automatically Adjustable Upper Rack
	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall
	Third Rack for Additional Loading Capacity	Third Rack for Additional Loading Capacity	Third Rack for Additional Loading Capacity		
Convenience	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time
	24 Hour Delay Start Timer	24 Hour Delay Start Timer	24 Hour Delay Start Timer	24 Hour Delay Start Timer	19 Hour Delay Start Timer
	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less
	AutoDelicate for Fine China	Delicate for Fine China	Delicate for Fine China	AutoDelicate for Fine China	Delicate for Fine China
	Glass Care Cycle for Fine Glassware	Glass Care Cycle for Fine Glassware		Glass Care Cycle for Fine Glassware	
Performance	Variable Spray Pressure	Variable Spray Pressure	Variable Spray Pressure	Variable Spray Pressure	Variable Spray Pressure
	ActiveTab® Tray Optimizes Detergent Dissolving	ActiveTab® Tray Optimizes Detergent Dissolving	ActiveTab® Tray Optimizes Detergent Dissolving		
	Water Softener Ensures Perfect Cleaning	Water Softener Ensures Perfect Cleaning	Water Softener Ensures Perfect Cleaning		
	Load Size Sensor Automates Wash Cycle			Load Size Sensor Automates Wash Cycle	
Accessories	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension
	SMZ5000 800 Plus Four-part Accessory Kit	SMZ5000 800 Plus Four-part Accessory Kit	SMZ5000 800 Plus Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit
	SMZ5002 800 Plus Anti-Tarnish Silverware Cassette	SMZ5002 800 Plus Anti-Tarnish Silverware Cassette	SMZ5002 800 Plus Anti-Tarnish Silverware Cassette	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors
	SGZ9091UC Dishwasher Water Soft. Salt	SGZ9091UC Dishwasher Water Soft. Salt	SGZ9091UC Dishwasher Water Soft. Salt	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette

1 Does not include Full Text Display feature. 2 Does not include InfoLight® feature. 3 Does not include Real Stainless Steel Fascia Panel feature.

Colors

Recessed Handle

Stainless Steel
(SHE43P25UC
Model Shown)

Black
(SHE43P26UC
Model Shown)

White
(SHE43P22UC
Model Shown)

Dishwasher Specifications

Recessed handle

Rated #1

Recessed handle

Recessed handle

Recessed handle

Recessed handle

LEARN MORE AT energystar.gov

Bar handle

Bar handle

Bar handle

	500 Series	500 Series	500 Series	300 Series	300 Series	300 Series
Model Numbers	SHX55RL5UC Stainless Steel bar handle	SHE55R55UC3 Stainless Steel recessed handle SHE55R52UC3 White recessed handle SHE55R56UC3 Black recessed handle SHX55R55UC Stainless Steel bar handle SHX55R52UC White bar handle SHX55R56UC Black bar handle SHV55R53UC Custom Panel	SHE55M15UC Stainless Steel recessed handle SHE55M12UC White recessed handle SHE55M16UC Black recessed handle	SHE43P25UC Stainless Steel recessed handle SHE43P22UC White recessed handle SHE43P26UC Black recessed handle	SHE43RL5UC Stainless Steel recessed handle SHE43RL2UC White recessed handle SHE43RL6UC Black recessed handle	SHE43R55UC Stainless Steel recessed handle SHE43R52UC White recessed handle SHE43R56UC Black recessed handle SHX43R55UC Stainless Steel bar handle SHX43R52UC White bar handle SHX43R56UC Black bar handle SHV43R53UC Custom Panel
Appearance	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub	Stainless Steel Tall Tub
	Four Wash Cycles and Two Options	Four Wash Cycles and Two Options	Five Wash Cycles and Three Options	Four Wash Cycles and Two Options	Four Wash Cycles and Two Options	Four Wash Cycles and One Option
	Real Stainless Steel Fascia Panel	Real Stainless Steel Fascia Panel				
Quietness	Virtually Silent: 46 dBA	Virtually Silent: 46 dBA	Virtually Silent: 47 dBA	Virtually Silent: 52 dBA	Virtually Silent: 48 dBA	Virtually Silent: 48 dBA
	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks
	InfoLight® Cycle Indicator LED	InfoLight® Cycle Indicator LED			InfoLight® Cycle Indicator LED	InfoLight® Cycle Indicator LED
Efficiency	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year
	259 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified	259 kWh/yr—ENERGY STAR® Qualified
	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water
	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%
	Half-load Cycle for Small Loads	Half-load Cycle for Small Loads	Half-load Option for Small Loads	Half-load Option for Small Loads	Half-load Cycle for Small Loads	Half-load Cycle for Small Loads
Safety	AquaStop® Leak Protection	AquaStop® Leak Protection	AquaStop® Leak Protection	AquaStop® Leak Protection	AquaStop® Leak Protection	AquaStop® Leak Protection
	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria
	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying			Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying
Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity
	800 Series Upper and 500 Series Lower Racks with Duo-Flex Silverware Basket	500 Series Racks with Duo-Flex Silverware Basket	800 Series Racks with Duo-Flex Silverware Basket	500 Series Upper Rack and Standard Lower Rack with Long Silverware Basket	500 Series Upper Rack and 300 Series Lower Rack with Long Silverware Basket	300 Series Racks with Long Silverware Basket
	RackMatic® Automatically Adjustable Upper Rack	RackMatic® Automatically Adjustable Upper Rack	RackMatic® Automatically Adjustable Upper Rack	RackMatic® Automatically Adjustable Upper Rack	RackMatic® Automatically Adjustable Upper Rack	Manual Height Adjustment Upper Rack
	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall	Extra Tall Item Sprinkler Cleans Items 22" Tall			
Convenience	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time	
	19 Hour Delay Start Timer	19 Hour Delay Start Timer	19 Hour Delay Start Timer	19 Hour Delay Start Timer	19 Hour Delay Start Timer	
			Quick Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less		
Performance						
Accessories	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension
	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit
	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors
	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette

3 Does not include Real Stainless Steel Fascia Panel feature.

Colors

Bar Handle

Stainless Steel
(SHX43R55UC
Model Shown)

Black
(SHX43R56UC
Model Shown)

White
(SHX43R52UC
Model Shown)

Fully Integrated
(SHV43R53UC
Model Shown)

Dishwasher Specifications

Recessed handle

Recessed handle

Recessed handle



Bar handle

Bar handle

Bar handle

	300 Series	Ascenta	Ascenta	Ascenta
Model Numbers	SHX33RL5UC Stainless Steel bar handle	SHE3AR75UC Stainless Steel recessed handle SHE3AR72UC White recessed handle SHE3AR76UC Black recessed handle SHX3AR75UC4 Stainless Steel bar handle SHX3AR72UC4 White bar handle SHX3AR76UC4 Black bar handle	SHE3ARL5UC Stainless Steel recessed handle SHE3ARL2UC White recessed handle SHE3ARL6UC Black recessed handle	SHE3AR55UC Stainless Steel recessed handle SHE3AR52UC White recessed handle SHE3AR56UC Black recessed handle SHX3AR55UC Stainless Steel bar handle SHX3AR52UC White bar handle SHX3AR56UC Black bar handle
Appearance	Stainless Steel Tall Tub	Stainless Steel Tall Tub w/PP*	Stainless Steel Tall Tub w/PP*	Stainless Steel Tall Tub w/PP*
	Four Wash Cycles and One Option	Six Wash Cycles and Two Options	Five Wash Cycles and Two Options	Four Wash Cycles and Two Options
Quietness	Virtually Silent: 50 dBA	Virtually Silent: 50 dBA	Virtually Silent: 50 dBA	Virtually Silent: 50 dBA
	Solid Base Contains Sound & Prevents Leaks			
Efficiency	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year	Saves 280 gallons of water each year
	259 kWh/yr—ENERGY STAR® Qualified	279 kWh/yr—ENERGY STAR® Qualified	279 kWh/yr—ENERGY STAR® Qualified	279 kWh/yr—ENERGY STAR® Qualified
	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water	Exceeds ENERGY STAR® Requirements by 69% for Water
	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%
		Half-load Cycle for Small Loads	Half-load Cycle for Small Loads	Half-load Cycle for Small Loads
Safety	AquaStop® Leak Protection	Bosch Exclusive 24/7 Overflow Leak Protection	Bosch Exclusive 24/7 Overflow Leak Protection	Bosch Exclusive 24/7 Overflow Leak Protection
	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria	NSF-certified—Eliminates 99.9% of Bacteria
	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying	Sanitize Option Removes Bacteria & Enhances Drying
Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity	14 Place Setting Capacity
	500 Series Upper Rack and Standard Lower Rack with Long Silverware Basket	300 Series Racks with Long Silverware Basket	Standard Racks with Long Silverware Basket	Standard Racks with Long Silverware Basket
	RackMatic® Automatically Adjustable Upper Rack	Manual Height Adjustment Upper Rack		
Convenience		Multi-Function LED with Remaining Time		
		Three-, Six-, Nine-hour Delay Start Timer	Three-, Six-, Nine-hour Delay Start Timer	Three-, Six-, Nine-hour Delay Start Timer
	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less	Express Wash—In 30 Minutes or Less	
		Self-latching Door Stays Put and Latches	Self-latching Door Stays Put and Latches	Self-latching Door Stays Put and Latches
		Delicate for Fine China		
Performance		Variable Spray Pressure	Variable Spray Pressure	Variable Spray Pressure
Accessories	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension
	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit	SGZ1052UC Four-part Accessory Kit
	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors	SGZPC001UC Power Cord w/Connectors
	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette	SMZ5002UC Anti-Tarnish Silverware Cassette

*Polypropylene 4 Does not include Multi-function LED with Remaining Time.

Special Application Dishwasher Specifications

Recessed handle

Bar handle

	18" Series ADA Compliant Special App.	24" Series ADA Compliant Special App.
Model Numbers	SRX53C15UC Stainless Steel bar handle SRV53C13UC Custom Panel	SGE63E15UC Stainless Steel recessed handle SGE63E06UC Black recessed handle
Appearance	Stainless Steel Euro Tub (shorter height)	Stainless Steel Euro Tub (shorter height)
	Five Wash Cycles and Two Options	Six Wash Cycles and Five Options
	ADA Compliant for Lower Countertop Installation	ADA Compliant for Lower Countertop Installation
Quietness	Virtually Silent: 49 dBA	Virtually Silent: 49 dBA
	Solid Base Contains Sound & Prevents Leaks	Solid Base Contains Sound & Prevents Leaks
Efficiency	Saves 273 gallons of water each year	Saves 484 gallons of water each year
	306 kWh/yr—ENERGY STAR® Qualified	234 kWh/yr—ENERGY STAR® Qualified
	Exceeds ENERGY STAR® Requirements by 68% for Water	Exceeds ENERGY STAR® Requirements by 150% for Water
	EcoSense® Reduces Energy Usage up to 20%	EcoSense® Reduces Energy Usage up to 20%
	Half-load Option for Small Loads	Half-load Option for Small Loads
Safety	AquaStop® Plus Four-part 24/7 Leak Protection	AquaStop® Plus Four-part 24/7 Leak Protection
		Sanitize Option Removes Bacteria & Enhances Drying
Capacity	9 Place Setting Capacity	14 Place Setting Capacity
	Premium Racks with Single-Flexible Silverware Basket	Vario™ Racks with Flexible Silverware Basket
	RackMatic® Automatically Adjustable Upper Rack	Manual Height Adjustment Upper Rack
	Extra Tall Item Sprinkler Cleans Items 22" Tall	
Convenience	Multi-Function LED with Remaining Time	Multi-Function LED with Remaining Time
	19 Hour Delay Start Timer	24 Hour Delay Start Timer
	Quick Wash—In 30 Minutes or Less	Quick Wash—In 30 Minutes or Less
Performance		Variable Spray Pressure
		ActiveTab® Tray Optimizes Detergent Dissolving
		Water Softener Ensures Perfect Cleaning
Accessories	SGZ1010UC Supply Drainage Hose Extension	SGZ1010UC Supply Drainage Hose Extension
	SMZ5000 Four-part Accessory Kit	SMZ5000 Four-part Accessory Kit
	SGZPC001UC Power Cord w/Connectors	SMZ5002UC Anti-Tarnish Silverware Cassette
	SMZ5002UC Anti-Tarnish Silverware Cassette	SGZ9091UC Dishwasher Water Softener Salt

Colors

Stainless Steel
(SRX53C15UC Model Shown)

Custom Panel
(SRV53C13UC Model Shown)

Stainless Steel
(SGE63E05UC Model Shown)

Black
(SGE63E06UC Model Shown)

Dishwasher Accessories

Accessory Description	Accessory Model No.	Dishwasher Model Numbers
Stainless Steel Door with Polished and Round Tubular Stainless Steel Handle	SGZ1005UC	SHV68R, SHV55R and SHV43R Only
Stainless Steel Door with Flat and Matte Stainless Steel Handle	SGZ1006UC	SHV68R, SHV55R and SHV43R Only
Flat and Matte Stainless Steel Handle	SGZ1007UC	SHV68R, SHV55R and SHV43R Only
Accessory Hinge Kit for US Counter Height Installation	SGZ3022	SRV53C Only
18" Stainless Steel Door with Flat and Matte Stainless Steel Handle	SRZ2045UC	SRV53C Only
Dishwasher Accessory Kit	SMZ5000	800 Plus and SGE63E Only
Dishwasher Accessory Kit	SGZ1052UC	300, 500, 800 and Ascenta® Only
Anti-Tarnish Silverware Cassette	SMZ5002UC	300, 500, 800 and Ascenta® Only
Anti-Tarnish Silverware Cassette	SMZ5002	800 Plus and SGE63E only
Long Flexible Silverware Basket	SMZ4000UC	300, 500, 800 and Ascenta® only
Dishwasher Supply and Drainage Hose Extension	SGZ1010UC	All Models
Dishwasher Power Cord with Connectors	SGZPC001UC	300, 500, 800 and Ascenta® only
Dishwasher Softener Salt	SGZ9091UC	800 Plus and SGE63E only
500 Series Upper Rack Replacement	SMZ4037UC	300, 500, 800 Purchased Before Aug. 09
500 Series Lower Rack Replacement	SMZ4038UC	300, 500, 800 Purchased Before Aug. 09

Stainless Steel Door
This high-quality stainless steel door provides an attractive and contemporary finish.

Anti-Tarnish Silverware Cassette
This specially designed cassette provides the best wash results and protection for your fine silverware.

Dishwasher Accessory Kit
This all-in-one bundle includes the extra tall item sprinkler, vase/bottle holder, three plastic item clips and a small item basket.

SGZ1005UC (Optional door with polished and round handle)

SGZ1006UC (Optional door with flat and matte handle)

Cooking

Ovens | Microwaves | Warming Drawers | Cooktops | Ranges | Ventilation

Cooking that's so hot, it's cool. Taste meets innovation throughout the Bosch line-up of cooking appliances. From convection ovens that better circulate heat to cook food more evenly in up to 30% less time, to efficient induction cooktops that offer sleek, precise cooking performance, Bosch brings tasty technology to the kitchen. Add the stylish gas cooktops and the innovative microwaves as well as the ultra-convenient warming drawers and discover how we deliver a variety of deliciously smart ways to cook.

Ovens
Microwaves
Warming Drawers

Bosch is more than hot.

It's thoughtful. And productive. And innovative. Bosch engineers its ovens, microwaves and warming drawers to the same strict standards of performance and design as it does everything else.

Ovens

With the largest capacity in its class, efficient convection capabilities and the fastest preheat settings available, it's no wonder that Bosch ovens are a top choice for European chefs. Discover for yourself how Bosch innovation, style and efficiency make a delicious addition to your kitchen.

Microwaves

For a seamless, stylish display, we have developed a trim kit that allows you to integrate your microwave into any cabinetry. This way, you can extend your appliances' flush, built-in look to your microwave.

- Convection technology for even cooking
- Stainless steel cavity available
- Easy programming for perfect meals

Warming Drawers

Convenient. Functional. Stylish. Bosch offers a warming drawer with four settings for prewarming dishes, heating rolls or keeping food hot for late arrivals.

Model shown left: HBL5450UC | Model shown below: HMB8050* | Model shown above: HWD3050UC

**Built-in microwave shown with 30" Stainless Steel Trim Kit (HMT8050). Microwave and trim kit sold separately.*

If our ovens made dinner any more convenient, you'd have to tip them 20%.

We developed a taste for innovation. Even if we tried to find room for compromise, we couldn't. Otherwise, it wouldn't be Bosch. So it wouldn't offer the #1 capacity oven on the market. Genuine European Convection. Or our EcoClean® Self-Clean cycle. And it certainly wouldn't meet our 100% quality testing before leaving the factory.

OVENS

Performance

#1 in capacity
At 4.7 cubic feet, our oven is the largest on the market. An expansive viewing window and bright halogen lighting system make monitoring the progress of your meal easier than ever.

Recessed heating element
A recessed top heating element and a fully concealed bottom heating element allow unprecedented safety when removing dishes and extremely easy cleaning.

Genuine European Convection with ACS
Our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time by optimizing heat circulation. And a powerful 2,000-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven.

Fastest preheat
With the fastest preheat on the market,* Bosch ovens are ready to cook in about seven minutes.

Meat probe
This built-in temperature gauge is perfect for keeping tabs on large roasts and poultry dishes. When your dish reaches the preset internal temperature, the oven beeps and turns itself off — giving you optimal temperature control.

** Based on cavity sizes of 4.3 cu. ft. and larger.*

Efficiency

EcoClean® self-clean cycle
Our ovens' 2-hour self-clean cycle, the industry's best, allows you to use your time in the kitchen for cooking rather than cleaning. It also delivers improved energy efficiency by running for the shortest period of time possible.

Quality

Telescopic rack
This full-extension rack glides easily on ball bearings and extends over the open oven door for easy access, allowing you to baste large cuts of meat and poultry safely without reaching into the oven.

High-quality rack supports
Bosch's heavy-duty rack supports can hold even the heaviest dishes while allowing racks to glide more smoothly than traditional ribbed oven cavities.

ClearTouch® glass touch controls
Bosch ovens offer smooth glass touch controls that are as easy to use as they are beautiful. And with up to 14 heating modes, the perfect program is available at your fingertips, no matter what dish you want to cook.

Good Housekeeping Seal
All Bosch ovens are backed by the Good Housekeeping Seal—a two-year limited warranty.

MICROWAVES

Convection
Bosch convection microwaves offer you faster and more even cooking results than traditional microwaves.

Multiple recipes
Our microwaves offer multiple recipe settings to make cooking easier.

WARMING DRAWER

Bosch offers a warming drawer with four settings for prewarming dishes, heating rolls or keeping food hot for late arrivals.

Oven Specifications

Combination

Combination

Double

Double

Double

	800 Series	500 Series	800 Series	500 Series	300 Series
Model Numbers	HBL8750UC 30" Stainless Steel	HBL5750UC 30" Stainless Steel HBL5760UC 30" Black HBL5720UC 30" White	HBL8650UC 30" Stainless Steel	HBL5650UC 30" Stainless Steel HBL5660UC 30" Black HBL5620UC 30" White HBN5650UC 27" Stainless Steel	HBL3550UC 30" Stainless Steel HBL3560UC 30" Black HBN3550UC 27" Stainless Steel
Appearance	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design
	ClearTouch® Glass Control	ClearTouch® Glass Control	ClearTouch® Glass Control	ClearTouch® Glass Control	ClearTouch® Glass Control
	Flush-to-Cabinet Design	Flush-to-Cabinet Design	Flush-to-Cabinet Design	Flush-to-Cabinet Design	Flush-to-Cabinet Design
	2-in-1 Design–Oven and Convection Microwave	2-in-1 Design–Oven and Convection Microwave			
		Retractable Controls for Sleek and Easy-to-Clean Design		Retractable Controls for Sleek and Easy-to-Clean Design	Dial Controls –Direct Access to Cooking Modes
Capacity	#1 in Capacity at 4.7 cu. ft.	#1 in Capacity at 4.7 cu. ft.	#1 in Capacity at 4.7 cu. ft.	#1 in Capacity at 4.7 cu. ft. for 30" #1 in Capacity at 4.2 cu. ft. for 27"	#1 in Capacity at 4.7 cu. ft. for 30" #1 in Capacity at 4.2 cu. ft. for 27"
	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety
	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity
			Double Oven for More Capacity and Cooking Flexibility	Double Oven for More Capacity and Cooking Flexibility	Double Oven for More Capacity and Cooking Flexibility
Convenience	Amber-Colored Full Text Display	Amber-Colored Full Text Display	Amber-Colored Full Text Display	Amber-Colored Full Text Display	Amber-Colored Display
	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function	Timer with Cook Time Function
	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking
	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports
	Halogen Lights Provide Superior Cavity Illumination	Two Oven Lights to Better Monitor Cooking Progress	Halogen Lights Provide Superior Cavity Illumination	Two Oven Lights to Better Monitor Cooking Progress	Two Oven Lights to Better Monitor Cooking Progress
	Star–K Certified*	Star–K Certified*	Star–K Certified*	Star–K Certified*	
	Full-extension Telescopic Rack for Convenient Handling		Full-extension Telescopic Rack for Convenient Handling		
Performance	Genuine European Convection with ACS	Genuine European Convection with ACS	Genuine European Convection with ACS	Genuine European Convection with ACS	
	Speed Convection Saves up to 30% Time	Speed Convection Saves up to 30% Time	Speed Convection Saves up to 30% Time	Speed Convection Saves up to 30% Time	
	Fast Preheat Reduces Preheat Time to Around Seven Minutes	Fast Preheat Reduces Preheat Time to Around Seven Minutes	Fast Preheat Reduces Preheat Time to Around Seven Minutes	Fast Preheat Reduces Preheat Time to Around Seven Minutes	
	14 Cooking Modes	14 Cooking Modes	14 Cooking Modes	14 Cooking Modes	10 Cooking Modes
	Custom Cooking Modes: Pizza, Pie, Warm and Proof	Custom Cooking Modes: Pizza, Pie, Warm and Proof	Custom Cooking Modes: Pizza, Pie, Warm and Proof	Custom Cooking Modes: Pizza, Pie, Warm and Proof	
	Meat Probe Takes Guesswork Out of Cooking	Meat Probe Takes Guesswork Out of Cooking	Meat Probe Takes Guesswork Out of Cooking	Meat Probe Takes Guesswork Out of Cooking	
	Recipe Mode Provides 30 Pre-Programmed Auto Settings	Recipe Mode Provides 30 Pre-Programmed Auto Settings	Recipe Mode Provides 30 Pre-Programmed Auto Settings	Recipe Mode Provides 30 Pre-Programmed Auto Settings	
	Automatic Temperature Conversion for Convection Cooking		Automatic Temperature Conversion for Convection Cooking		Convection Cooking with Bake, Broil and Roast in Upper Oven
				Thermal Cooking with Bake, Broil and Roast in Lower Oven	Thermal Cooking with Bake, Broil and Roast in Lower Oven
Efficiency	EcoClean® Two-hour Self-Clean Cycle See HMB8050 for Microwave feature	EcoClean® Two-hour Self-Clean Cycle See HMB5050 for Microwave feature	EcoClean® Two-hour Self-Clean Cycle	EcoClean® Two-hour Self-Clean Cycle See HMB8050 for Microwave feature	EcoClean® Two-hour Self-Clean Cycle See HMB5050 for Microwave feature
Accessories	HEZ1070 30" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack HEZ1077 27" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack HEZ1077 27" Ball Bearing Telescopic Rack

** Since July, 2011 Production (FD Number: 9107)*

Oven Specifications

Single

Recommended 4th time in a row*

Single

Single

Single

	800 Series	500 Series	300 Series	300 Series
Model Numbers	HBL8450UC 30" Stainless Steel	HBL5450UC 30" Stainless Steel HBL5460UC 30" Black HBL5420UC 30" White HBN5450UC 27" Stainless Steel	HBL3450UC 30" Stainless Steel HBL3460UC 30" Black HBN3450UC 27" Stainless Steel	HBL3350UC 30" Stainless Steel HBL3360UC 30" Black
Appearance	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design
	ClearTouch® Glass Control	ClearTouch® Glass Control	ClearTouch® Glass Control	ClearTouch® Glass Control
	Flush-to-Cabinet Design	Flush-to-Cabinet Design	Flush-to-Cabinet Design	Flush-to-Cabinet Design
		Retractable Controls for Sleek and Easy-to-Clean Design	Dial Controls –Direct Access to Cooking Modes	Dial Controls –Direct Access to Cooking Modes
Capacity	#1 in Capacity at 4.7 cu. ft.	#1 in Capacity at 4.7 cu. ft. for 30" #1 in Capacity at 4.2 cu. ft. for 27"	#1 in Capacity at 4.7 cu. ft.	#1 in Capacity at 4.7 cu. ft.
	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety	Recessed Broil Element for Increased Capacity and Safety
	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity	Hidden Bake Element for Increased Capacity
Convenience	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function	Timer with Cook Time Function
	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking	Extra-Large Door Window for Easy Monitoring of Cooking
	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports	High-Quality, Self-cleaning Rack Supports
	Halogen Lights Provide Superior Cavity Illumination	Two Oven Lights to Monitor Cooking Progress	One Oven Light to Monitor Cooking Progress	One Oven Light to Monitor Cooking Progress
	Star–K Certified**	Star–K Certified**		
	Full-extension Telescopic Rack for Convenient Handling			
Performance	Genuine European Convection with ACS	Genuine European Convection with ACS	Convection Cooking with Bake, Broil and Roast	Thermal Cooking with Bake, Broil and Roast
	Speed Convection Saves up to 30% Time	Speed Convection Saves up to 30% Time		
	14 Cooking Modes	14 Cooking Modes	10 Cooking Modes	
	Custom Cooking Modes: Pizza, Pie, Warm and Proof	Custom Cooking Modes: Pizza, Pie, Warm and Proof		
	Fast Preheat Reduces Preheat Time to Around Seven Minutes	Fast Preheat Reduces Preheat Time to Around Seven Minutes		
	Meat Probe Takes Guesswork Out of Cooking	Meat Probe Takes Guesswork Out of Cooking		
	Recipe Mode Provides 30 Pre-Programmed Auto Settings	Recipe Mode Provides 30 Pre-Programmed Auto Settings		
	Automatic Temperature Conversion for Convection Cooking			
Efficiency	EcoClean® Two-hour Self-Clean Cycle	EcoClean® Two-hour Self-Clean Cycle	EcoClean® Two-hour Self-Clean Cycle	EcoClean® Two-hour Self-Clean Cycle
Accessories	HEZ1070 30" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack HEZ1077 27" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack HEZ1077 27" Ball Bearing Telescopic Rack	HEZ1070 30" Ball Bearing Telescopic Rack

** Recommended by a leading consumer publication 4th time in a row.*

*** Since July, 2011 Production (FD Number: 9107)*

Colors

Stainless Steel
(HBL5750UC Model Shown)

Black
(HBL5760UC Model Shown)

White
(HBL5720UC Model Shown)

Microwave Specifications

Over-the-Range

Over-the-Range

Over-the-Range

	800 Series	500 Series	300 Series
Model Numbers	HMV8051U Stainless Steel	HMV5051U Stainless Steel	HMV3051U Stainless Steel HMV3061U Black HMV3021U White
Appearance	OTR Microwave Design–Matched for Use in Combination with Bosch Range or Cooktop	OTR Microwave Design—Matched for Use in Combination with Bosch Range or Cooktop	OTR Microwave Design–Matched for Use in Combination with Bosch Range or Cooktop
	Exclusive Stainless Steel Handle	Exclusive Stainless Steel Handle	Exclusive Stainless Steel Handle
	Stainless Steel Vent Grid	Stainless Steel Vent Grid	Stainless Steel Colored Vent Grid
	Easy to Read LCD Display	Easy to Read LCD Display	Easy to Read LCD Display
Capacity	1.5 cu. ft. Large Oven Cavity	1.7 cu. ft. Large Oven Capacity	1.6 cu. ft. Large Cavity
	13½" Glass Turntable	Large 13½" Glass Turntable	Large 13½" Glass Turntable
Convenience	Easy-to-use Touch Control	Easy-to-use Touch Control	Easy-to-use Touch Control
	Side-hinged Door Allows Full Access to Microwave Cavity	Side-hinged Door Allows Full Access to Microwave Cavity	Side-hinged Door Allows Full Access to Microwave Cavity
	Recirculation or Outside Venting Options	Recirculation or Outside Venting Options	Recirculation or Outside Venting Options
	Reheat Setting Automatically determines Power Level and Cooking Time	Reheat Setting Automatically determines Power Level and Cooking Time	Reheat Setting Automatically determines Power Level and Cooking Time
	Potato Program	Potato Program	Potato Program
	Automatic Defrost Automatically determines Power Level and Cooking Time	Automatic Defrost Automatically determines Power Level and Cooking Time	Automatic Defrost Automatically determines Power Level and Cooking Time
	Popcorn Program—Get Fully “Popped” Popcorn Simply by Entering the Bag Size	Popcorn Program—Get Fully “Popped” Popcorn Simply by Entering the Bag Size	Popcorn Program—Get Fully “Popped” Popcorn Simply by Entering the Bag Size
	Timer with Cook Time and Automatic Shut Off Function	Timer with Cook Time and Automatic Shut Off Function	Timer with Cook Time and Automatic Shut Off Function
	Convenient Kitchen Timer	Convenient Kitchen Timer	Convenient Kitchen Timer
	Easily Adds 30 seconds to Cooking Time	Easily Adds 30 seconds to Cooking Time	Easily Adds 30 seconds to Cooking Time
	Quick Setting for 1, 2, 3, 4, 5 or 6 Minute Cooking at 100% Power	Quick Setting for 1, 2, 3, 4, 5 or 6 Minute Cooking at 100% Power	Quick Setting for 1, 2, or 3 Minute Cooking at 100% Power
	Two-level Microwave Cooking	Two-level Microwave Cooking	
	Easy-clean Closed Stainless Steel Air Vent	Easy-clean Closed Stainless Steel Air Vent	
	Eight Sensor Programs	Eight Sensor Programs	
Performance	900 Watt Microwave Power	1,000 Watt Microwave Power	1,000 Watt Microwave Power
	10 Microwave Power Levels	10 Microwave Power Levels	10 Microwave Power Levels
	Two-speed Vent with up to 300 CFM	Two-speed Vent with up to 300 CFM	Two-speed Vent with up to 300 CFM
	Two 30 Watt Lights for Bright Cooktop Illumination	Two 30 Watt Lights for Bright Cooktop Illumination	Two 30 Watt Lights for Bright Cooktop Illumination
	Convection Cooking		
Accessories	n/a	n/a	n/a

Built-In*

Built-In*

	800 Series	500 Series
Model Numbers	HMB8050 Stainless Steel HMB8060 Black HMB8020 White	HMB5050 Stainless Steel HMB5060 Black HMB5020 White
Appearance	Built-in Convection Microwave Design–Matched for Use in Combination with Bosch Wall Oven	Built-in Microwave Design–Matched for Use in Combination with Bosch Wall Oven
	Contemporary Stainless Steel Design	Contemporary Stainless Steel Design
	Flush-to-Cabinet Design	Flush-to-Cabinet Design
	ClearTouch® Glass Control	ClearTouch® Glass Control
	Available with 27" or 30" Trim Kit for Built-in Installation	Available with 27" or 30" Trim Kit for Built-in Installation
Capacity	1.5 cu. ft. Stainless Steel Cavity	2.1 cu. ft. Large Cavity
	15" Recessed Ceramic Turntable	16 1/2" Recessed Glass Turntable
Convenience	Amber-Colored LCD Display	Amber-Colored LCD Display
	Keep Warm Program	Keep Warm Program
	Quick Min. Conveniently Adds Cooking Time with One Touch	Quick Min. Conveniently Adds Cooking Time with One Touch
	Convenient Automatic Sensor Programs Simplify Cooking for Great Results	Convenient Automatic Sensor Programs Simplify Cooking for Great Results
	Smart Sensor Reheat Program Automatically Sets Cooking Power and Time Based on Serving Size	Smart Sensor Reheat Program Automatically Sets Cooking Power and Time Based on Serving Size
	Quick Defrost–Defrosts Foods such as Meat, Poultry and Seafood	Quick Defrost–Defrosts Foods such as Meat, Poultry and Seafood
	Popcorn Program–Get Fully “Popped” Popcorn Simply by Entering the Bag Size	Popcorn Program–Get Fully “Popped” Popcorn Simply by Entering the Bag Size
	Timer with Cook Time and Delay Start Function	Timer with Cook Time and Delay Start Function
	Automatic Convection Bake for Cake and Pie	
		Beverages–Reheats One or Two Cups of Room Temperature Beverages Without Setting Power and Time
Performance	1,000 Watt Microwave Power	1,200 Watt Microwave Power
	10 Microwave Power Levels	10 Microwave Power Levels
	Innovative Microwave Inverter Technology—More Even Cooking From Center to Crust	Innovative Microwave Inverter Technology—More Even Cooking From Center to Crust
	Genuine European Convection with ACS	
	Convection Bake for Even Baking of Smaller Items	
Accessories	HMT8750 27" Built-In Trim Kit SS HMT8050 30" Built-In Trim Kit SS HMT8060 30" Built-In Trim Kit Black HMT8020 30" Built-In Trim Kit White	HMT5750 27" Built-In Trim Kit SS HMT5050 30" Built-In Trim Kit SS HMT5060 30" Built-In Trim Kit Black HMT5020 30" Built-In Trim Kit White

*Built-in microwave shown with trim kit. Microwave and trim kit sold separately.

Colors

Stainless Steel
(HMB5050 Model Shown*)

Black
(HMB5060 Model Shown*)

White
(HMB5020 Model Shown*)

Warming Drawer Specifications

30"

27"

	500 Series		500 Series	
Model Numbers	HWD3050UC HWD3060UC HWD3020UC	Stainless Steel Black White	HWD2750UC	Stainless Steel
Appearance	Built-in Warming Drawer Design-matched for Use in Combination with Bosch Wall Oven		Built-in Warming Drawer Design-matched for Use in Combination with Bosch Wall Oven	
	ClearTouch® Glass Control		ClearTouch® Glass Control	
	Flush-to-Cabinet Design		Flush-to-Cabinet Design	
Capacity	2.0 cu. ft. Large Cavity		1.8 cu. ft. Large Cavity	
	Lower Side Walls Allow Easy Loading and Unloading of Drawer		Lower Side Walls Allow Easy Loading and Unloading of Drawer	
Convenience	Sturdy Ball Bearing Telescopic Rails for Smooth Opening		Sturdy Ball Bearing Telescopic Rails for Smooth Opening	
	Moisture Selector to Adjust Humidity Level Inside the Drawer (e.g. “Moist” to Keep a Roast Warm)		Moisture Selector to Adjust Humidity Level Inside the Drawer (e.g. “Moist” to Keep a Roast Warm)	
	Star–K Certified (See page 34)		Star–K Certified (See page 34)	
	Automatic Shut-Off Function with Adjustable Timer		Automatic Shut-Off Function with Adjustable Timer	
Performance	450 Watt Heating Element Concealed Below Drawer		450 Watt Heating Element Concealed Below Drawer	
	Three Temperature Levels		Three Temperature Levels	
	Special Dough Proofing Mode		Special Dough Proofing Mode	

Colors

Stainless Steel
(HWD3050UC Model Shown)

Black
(HWD3060UC Model Shown)

White
(HWD3020UC Model Shown)



Cooktops

Induction | Gas | Electric



Induction Cooktops

Induction cooktops are a revolutionary way of cooking that use the power of electromagnetic waves to quickly and efficiently turn the bottom of a pot into an active heating surface, rather than the cooktop. Induction cooktops use 60% less energy than cooking with gas and heat food over two times faster than electric cooktops.

Gas Cooktops

To create a variety of dishes, you need a versatile cooktop. High BTU-output burners deliver power for searing, while a separate, low-output burner provides gentle simmering. The large dials are easy to adjust to get the perfect flame. Multiple-size burners accommodate all cooking styles. And the burners' sealed, recessed design contains spills and makes cleanup easy.

Electric Cooktops

From the simple elegance of the ceramic-glass cooking surface to the exciting performance features, Bosch electric cooktops are the very image of understated sophistication for the kitchen. Whether you choose the refined touch-control models or the familiarity of our rotary-dial units, you'll find a model that suits your design aesthetic and cooking style.

Model shown below: NIT8665UC

Model shown left: NGM8654UC

Model shown above: NET8654UC

Three brilliant ways to cook. One superior way to engineer them.

We know the importance of precision in cooking. And we engineer our gas, electric and induction cooktops accordingly, ensuring precise temperatures for legendary cooking performance. Gas provides perfect flame control, from 18,000 BTU to soft simmering. Electric cooktops offer easy-to-clean, contemporary Touch Controls. And our induction cooktops heat food over 50% faster than electric and use 60% less energy than gas.

INDUCTION COOKTOPS

Quality

PreciseSelect™
Easily change the heat level of the cooktop by selecting any of the 17 different levels.

SteelTouch™ controls
Incredibly responsive and seamless with a sharp stainless steel design.

AutoChef®
Bosch's AutoChef technology delivers culinary precision and top-notch efficiency. Nine cooking programs and four temperature settings are available for your convenience.

CountDown™ timer
The days of working over a hot stove are long gone, thanks to this ingenious function that allows you to pre-set a cooking time for each individual heating element. Now you can multi-task in the kitchen, and the cooktop will automatically shut off individual cooking elements when their programmed time has expired.

Performance

Class-leading 11" element
Conducting up to 4,400 watts of power, the 11" element on the 36" cooktop is the most powerful in its price class.

SpeedBoost®
For time savings as well as energy savings, the SpeedBoost function can heat water twice as fast as a conventional ceramic cooktop.

Efficiency

PotSense™
Bosch induction cooktops detect if a pot is placed on a cooking element and automatically adjusts the cooking field to the size of the pot bottom. This makes your kitchen cooler, more energy-efficient, and safer.

Safety

ChildLock
Bosch induction cooktops take safety up a notch. The ChildLock function prevents the cooktop from being accidentally switched on.

Anti-overflow system
Sensors in the glass can detect large spills or excessive overflow, automatically shut off the cooktop, and sound an alarm to alert you of the situation.

Automatic shut-off system
Safety comes first. So Bosch induction cooktops are designed to automatically switch off when the unit exceeds a maximum temperature limit.

Heat indicator
A light on the cooktop warns if surface is hot due to any residual heat from cooking vessel.

Safe Start
This safety feature accurately distinguishes between pots or pans and smaller items like utensils that may accidentally be left on the cooktop, and ensures that each cooking element will only heat up if a pot is detected on the cooking surface.

Clean Lock
Clean Lock prevents unwanted changes to settings while you clean spillovers.

GAS COOKTOPS

Performance

Continuous grates
These are the same types of grates found in professional kitchens, letting you slide and move pots off of an active burner or rearrange them without fear of tipping or spilling. They also give the cooktop a high-grade, quality appearance that really makes an impression.

PowerSim® burner
This feature, available on our largest burner, uses a diffuser cap to output a large flame of up to 18,000 BTU for quick heating, and can gently simmer like a small burner.

OptiSim® burner
This Bosch burner heats at a low BTU to delicately simmer even the most sensitive sauces or melt chocolate by evenly spreading the flame across the bottom of the pot to help prevent scorching.

30" five-burner gas cooktop
The industry-leading 30" five-burner provides high performance and versatility in a 30" space.

Safety

Automatic reignition
The automatic reignition will generate a spark and reignite the burner if the flame should go out.

ELECTRIC COOKTOPS

Quality

AutoChef®
A Bosch exclusive: maintains exact frying temperature for perfect results and convenient, healthy, nutritional cooking. Nine cooking programs and four temperature settings are available for your convenience.

CountDown™ timer
The days of working over a hot stove are long gone, thanks to this ingenious function that allows you to pre-set a cooking time for each individual heating element. Now you can multi-task in the kitchen, and the cooktop will automatically shut off the individual cooking elements when their programmed time has expired.

SteelTouch™ controls
Incredibly responsive and seamless with a sharp stainless steel design.

PreciseSelect™
Easily change the heat level of the cooktop by selecting any of the 17 different levels.

Glass touch control
This touch-sensitive control panel uses the most advanced technology on the market. It has a digital readout of the chosen power setting and residual heat indicator to prevent accidental injury.

Performance

Keep Warm function
When this function is selected, it enables you to reduce the cooking power to as little as 3% of normal—much greater temperature control than conventional cooktops offer you. This brings the heat to a perfect level to keep meals warm, or to simmer soups.

PowerStart®
This feature temporarily increases and holds the temperature at the most powerful setting. Then it gradually declines to your preset level. This reduces cooking time and offers the convenience of one-button operation.

Dual-element burners
Burners provide solutions to multiple cookware sizes. They are designed to use the cooking space more efficiently than single elements.

Triple-element burners
The burners are available in 6"/8"/12" configurations, and are designed to efficiently accommodate a wide variety of cookware without wasting energy unnecessarily.

Bridge element
Connects two burners, creating an elongated cooking surface for larger, oval-shaped pans.

Safety

ChildLock
Bosch electric cooktops take safety up a notch. The ChildLock function prevents the cooktop from being accidentally switched on.

Automatic shut-off system
Safety comes first. So Bosch electric cooktops are designed to automatically switch off when the unit exceeds a maximum temperature limit.

Clean Lock
Clean Lock prevents unwanted changes to settings while you clean spillovers.

Heat indicator
A light on the cooktop warns if surface is hot due to any residual heat from cooking vessel.

Induction Cooktop Specifications

36"

30"

36"

Recommended*

30"

30"

	800 Series	800 Series	500 Series	500 Series	300 Series
Model Numbers	NIT8665UC Black w/Stainless Steel Trim	NIT8065UC Black w/Stainless Steel Trim	NIT5665UC Black w/Stainless Steel Trim	NIT5065UC Black w/Stainless Steel	NIT3065UC Black
Appearance	SteelTouch™ Control Panel with 17 Settings	SteelTouch™ Control Panel with 17 Settings	Sleek Touch Control Panel with 17 Settings	Sleek Touch Control Panel with 17 Settings	Sleek Touch Control Panel with 17 Settings
	High-end Front and Back Stainless Steel Strip for a Premium Look	High-end Front and Back Stainless Steel Strip for a Premium Look	Front and Back Stainless Steel Strip for a Premium Look	Front and Back Stainless Steel Strip for a Premium Look	
Convenience	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up
	CountDown™ Timer–Built-in Timers for Each Element, Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element, Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element, Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer
	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-overs	
	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	
	AutoChef® Sensor–A Bosch Exclusive Maintains Exact Temperature for Perfect Results and Convenience	AutoChef® Sensor–A Bosch Exclusive Maintains Exact Temperature for Perfect Results and Convenience			
	Bosch Recommended Pan Included–Excellent Heating Performance and Superior Cleanability	Bosch Recommended Pan Included–Excellent Heating Performance and Superior Cleanability			
Performance	Dual 11" Heating Elements with Powerful 4,400 Watts–Most Powerful Induction Element in its Class.	11" Heating Element with Powerful 3,600 Watts	Dual 11" Heating Elements with Powerful 4,400 Watts–Most Powerful Induction Element in its Class	11" Heating Element with Powerful 3,600 Watts	11" Heating Element with Powerful 3,600 Watts
	SpeedBoost®–This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops	SpeedBoost®–This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops	SpeedBoost®–This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops	SpeedBoost®–This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops	SpeedBoost®–This Fast-heat Mode Boils Water Twice as Fast as Conventional Electric Cooktops
Safety	Overflow Detection–Sounds Alarm and Shuts off Cooktop in Case of an Overflow	Overflow Detection–Sounds Alarm and Shuts off Cooktop in Case of an Overflow	Overflow Detection–Sounds Alarm and Shuts off Cooktop in Case of an Overflow	Overflow Detection–Sounds Alarm and Shuts off Cooktop in Case of an Overflow	Overflow Detection–Sounds Alarm and Shuts off Cooktop in Case of an Overflow
	ChildLock–Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched On, Locks Temperature Settings if in Use
	Safe Start–Ensures that Element Only is Activated; Others Remain Off	Safe Start–Ensures that Element Only is Activated; Others Remain Off	Safe Start–Ensures that Element Only is Activated; Others Remain Off	Safe Start–Ensures that Element Only is Activated; Others Remain Off	Safe Start–Ensures that Element Only is Activated; Others Remain Off
	Anti-Overheat System–Shuts Off Cooktop	Anti-Overheat System–Shuts Off Cooktop	Anti-Overheat System–Shuts Off Cooktop	Anti-Overheat System–Shuts Off Cooktop	Anti-Overheat System–Shuts Off Cooktop
	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot
Efficiency	PotSense™–Automatically Adjusts Cooking Element to the Size of the Pan Bottom	PotSense™–Automatically Adjusts Cooking Element to the Size of the Pan Bottom	PotSense™–Automatically Adjusts Cooking Element to the Size of the Pan Bottom	PotSense™–Automatically Adjusts Cooking Element to the Size of the Pan Bottom	PotSense™–Automatically Adjusts Cooking Element to the Size of the Pan Bottom
Accessories	HEZ390230* 10" AutoChef® Pan	HEZ390230* 10" AutoChef® Pan	n/a	n/a	n/a
	HEZ390220 9" AutoChef® Pan	HEZ390210 8" AutoChef® Pan			

**Free with mail-in redemption card.*

** Recommended by a leading consumer publication, May 2011.*

CSA® approved.

Gas Cooktop Specifications

Recommended*

36"

30"

36"

30"

36"

30"

	800 Series	800 Series	500 Series	500 Series	300 Series	300 Series
Model Numbers	NGM8654UC Stainless Steel	NGM8054UC Stainless Steel	NGM5654UC Stainless Steel NGM5664UC Black NGM5624UC White	NGM5054UC Stainless Steel NGM5064UC Black NGM5024UC White	NGM3654UC Stainless Steel	NGM3054UC Stainless Steel
Appearance	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop	Centralized Controls for Easy Use and More Intuitive Operation of Cooktop
	Cooktop Design Coordinates with Bosch Wall Ovens	Cooktop Design Coordinates with Bosch Wall Ovens	Cooktop Design Coordinates with Bosch Wall Ovens	Cooktop Design Coordinates with Bosch Wall Ovens	Cooktop Design Coordinates with Bosch Wall Ovens	Cooktop Design Coordinates with Bosch Wall Ovens
	Low-Profile Design for a More Integrated Appearance	Low-Profile Design for a More Integrated Appearance	Low-Profile Design for a More Integrated Appearance	Low-Profile Design for a More Integrated Appearance	Low-Profile Design for a More Integrated Appearance	Low-Profile Design for a More Integrated Appearance
	Heavy-Duty Metal Knobs for a Quality Look and Feel	Heavy-Duty Metal Knobs for a Quality Look and Feel	High Quality Color Matched Knobs with Stainless Steel Bezel	High Quality Color Matched Knobs with Stainless Steel Bezel	High Quality Color Matched Knobs with Stainless Steel Bezel	High Quality Color Matched Knobs with Stainless Steel Bezel
Convenience	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean	Continuous Grates–Effortlessly Move Pots and Pans, Easy to Clean
	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box
	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs
	Star–K Certified	Star–K Certified	Star–K Certified	Star–K Certified	Star–K Certified	Star–K Certified
Performance	Powerful 18,000 BTU Central Burner	Powerful 16,000 BTU Central Burner	Powerful 16,000 BTU Central Burner	Powerful 16,000 BTU Burner	Powerful 14,000 BTU Central Burner	Powerful 14,000 BTU Burner
	OptiSim®–Simmer Delicate Sauces without Scorching	OptiSim®–Simmer Delicate Sauces without Scorching	OptiSim®–Simmer Delicate Sauces without Scorching	OptiSim®–Simmer Delicate Sauces without Scorching		
	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap				
		Five Burner 30" Cooktop–Same Versatility of 36" Cooktop in Compact 30" Format. For Kitchens Where Space is Limited				
Safety	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited	Automatic Electronic Re-Ignition–In Case Flame Goes Out, the Burner is Automatically Re-Ignited
Accessories	NEZ1054 LP Conversion Kit	NEZ1054 LP Conversion Kit	NEZ1054 LP Conversion Kit	NEZ1054 LP Conversion Kit	NEZ1054 LP Conversion Kit	NEZ1054 LP Conversion Kit

** Recommended by a leading consumer publication, May 2011.*

Colors

Stainless Steel
(NGM5654UC
Model Shown)

Black
(NGM5664UC
Model Shown)

White
(NGM5624UC
Model Shown)

Electric Cooktop Specifications



36"

30"

36"

Recommended**

30"

36"

30"

	800 Series	800 Series	500 Series	500 Series	300 Series	300 Series
Model Numbers	NET8654UC Black w/Stainless Steel Trim	NET8054UC Black w/Stainless Steel Trim	NET5654UC Black w/Stainless Steel Trim	NET5054UC Black w/Stainless Steel Trim	NEM3664UC Black	NEM3064UC Black
Appearance	SteelTouch™ with PreciseSelect™–A Bosch Exclusive	SteelTouch™ with PreciseSelect™–A Bosch Exclusive	Sleek Touch Control Panel Offers a Choice of 17 Settings for Unprecedented Temperature Control with PreciseSelect™	Sleek Touch Control Panel Offers a Choice of 17 Settings for Unprecedented Temperature Control with PreciseSelect™	High Quality Black Knobs with a Stainless Steel Bezel	High Quality Black Knobs with a Stainless Steel Bezel
	High-end Front and Back Stainless Steel Strip for a Premium Look	High-end Front and Back Stainless Steel Strip for a Premium Look	High-end Front and Back Stainless Steel Strip for a Premium Look	High-end Front and Back Stainless Steel Strip for a Premium Look		
Convenience	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up	Sleek Glass Design for Easy Clean Up
	AutoChef® Sensor–A Bosch Exclusive. Maintains Exact Frying Temperature for Perfect Results and Convenience	AutoChef® Sensor–A Bosch Exclusive. Maintains Exact Frying Temperature for Perfect Results and Convenience				
	Bosch Recommended Pan Included–Excellent Heating Performance and Superior Cleanability, Dishwasher safe, Works with Electric and Induction Cooktops	Bosch Recommended Pan Included–Excellent Heating Performance and Superior Cleanability, Dishwasher safe, Works with Electric and Induction Cooktops				
	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)	PreciseSelect™–Direct Cooking Level Selection (17 Settings)		
	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer	CountDown™ Timer–Built-in Timers for Each Element. Doubles as General-Purpose Kitchen Timer		
	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-Overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-Overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-Overs	Clean Lock–Prevents Unwanted Changing of Settings while Cleaning Spill-Overs		
	Keep Warm Function Allows Meals to Remain Ready to Serve	Keep Warm Function Allows Meals to Remain Ready to Serve	Keep Warm Function Allows Meals to Remain Ready to Serve	Keep Warm Function Allows Meals to Remain Ready to Serve		
Performance	Three-zone 12" Heating Element with Powerful 3,080 Watt Element. Three Heating-zone Sizes in One. Accommodates a Variety of Pan Sizes	Three-zone 12" Heating Element with Powerful 2,700 Watt Element. Three Heating-zone Sizes in One. Accommodates a Variety of Pan Sizes				
	Dual Element Offers the Capability to Use Multiple Pan Sizes	Dual Element Offers the Capability to Use Multiple Pan Sizes	Dual Element Offers the Capability to Use Multiple Pan Sizes	Dual Element Offers the Capability to Use Multiple Pan Sizes	Dual element Offers the Capability to Use Multiple Pan Sizes	Dual Element Offers the Capability to Use Multiple Pan Sizes
	PowerStart®–Initial Maximum Power Output Quickly Heats Burner, then Automatically Decreases to Pre-selected Temperature	PowerStart®–Initial Maximum Power Output Quickly Heats Burner, then Automatically Decreases to Pre-selected Temperature				
					Infinite Temperature Controls for Precision Cooking	Infinite Temperature Controls for Precision Cooking
	Bridge Element Accommodates Oblong Pans and Multiple Diameter Sizes		Bridge Element Accommodates Oblong Pans and Multiple Diameter Sizes	Bridge Element Accommodates Oblong Pans and Multiple Diameter Sizes		
Safety	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot	Two-level Heat Indicator–Warns if Cooktop is Warm or Hot
	ChildLock–Prevents the Cooktop from Being Accidentally Switched on, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched on, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched on, Locks Temperature Settings if in Use	ChildLock–Prevents the Cooktop from Being Accidentally Switched on, Locks Temperature Settings if in Use		
Accessories	HEZ390230* 10" AutoChef® Pan	HEZ390230* 10" AutoChef® Pan	n/a	n/a	n/a	n/a
	HEZ390210 8" AutoChef® Pan	HEZ390210 8" AutoChef® Pan	n/a	n/a	n/a	n/a

**Free with mail-in redemption card.*
Products noted were selected by Consumers Digest Best Buy for outstanding value based on performance, features and durability.

*** Recommended by a leading consumer publication, May 2011.*

CSA® approved.

Ranges

Slide-in | Freestanding

Dual-fuel ranges

Dual-fuel ranges from Bosch offer performance and convenience. Their gas-on-glass design features burners mounted on a ceramic-glass cooktop, making cleanup easy. A 16,000 BTU PowerSim® burner delivers fast boiling and precise control. And the Genuine European Convection with ACS oven cooks up to 25% faster.

Gas ranges

Unleash your cooking instincts with a Bosch gas range. Pro-style cooking grates let you slide your pots easily. Powerful PowerSim® burners deliver up to 16,000 BTU for fast boiling and excellent searing, while optimized burner spacing keeps every pot optimally positioned for maximum convenience. Prepare yourself for an amazing culinary experience.

Electric ranges

Bosch electric ranges deliver power and functionality that help them perform as good as they look. They feature a glass-ceramic cooktop with UltraSpeed™ ribbon elements that heat up as fast as gas. Add the performance of Genuine European Convection and a concealed bake element, and it's clear that every meal you prepare with a Bosch electric range is certain to be a hit.

Model shown above: Integra® HDI7282U

Model shown below: Evolution® HGS5053UC

Model shown left: Integra® HEI7282U

The only thing that’s not optional is the unbelievable convenience.

While our legendary quality makes a Bosch range the easy choice, deciding which type you want may not be so simple. There’s the powerful control of gas. The efficient ease of electric. And the best of both world-class performers: Our dual-fuel model. All available in sleek, cabinet-flush, slide-in units or stylishly versatile freestanding ranges.



Quality

Endless cooking possibilities
With up to nine preset cooking modes, the options are as vast as they are easy to operate. Our precisely programmed oven functions let you choose from bake, broil, convection bake, convection broil, convection roast, dehydrate or keep warm to complement your diverse cooking needs. All models even include a Sabbath mode.

Widest oven in its class
At 25 inches, our oven is the widest in its class. Incredibly accommodating, not only can you cook with a variety of cookware sizes simultaneously, it lets you cook an entire meal—including a large bird with all the trimmings. And with our well-lit oven, checking on your meal is a pleasurable eye-opener.

Gas-on-glass burners
This ingenious design mounts gas burners on color-matched ceramic glass, creating a sleek, handsome cooktop that’s patterned to conceal smudges while being significantly easier to clean.

Cooktop elements
The electric cooktop features our state-of-the-art UltraSpeed™ ribbon elements. Instantly responding to the controls, these elements boast a three- to five-second “heat-up” time. There are multiple-sized elements, including a triple, all of which are adjustable to accommodate a variety of cookware styles.

ClearTouch® glass panel
This touch panel features high-quality materials and elegant design, while giving complete access to all of the range’s many features. Easy to use and even easier to clean, the control indicators will never fade because they are sealed under the glass surface, guaranteeing a beautiful appearance for years to come.

Touch and Turn®
Operating your oven with our exclusive Touch and Turn control system is a breeze. Performance is now at your fingertips. You can access an array of cooking modes in fewer steps, and even self-clean your oven with a single intuitive control knob. No more guesswork. Just great results every time.

Performance

PowerSim® burner
The PowerSim burner is the ultimate in power and finesse. It can generate a blazing 16,000 BTU for fast boiling or quick searing. At the other extreme, the built-in diffuser distributes heat evenly to let you simmer delicate sauces or melt chocolate without scorching.

OptiSim® burner
This OptiSim burner cooks at a low 450 BTU to delicately simmer even the most sensitive sauces or melt chocolate by evenly spreading the flame across the bottom of the pot to help prevent scorching.

Triple-element burners
The burners are available in 5"/7"/9" and 6"/9"/12" configurations, and are designed to efficiently accommodate a wide variety of cookware without wasting energy unnecessarily.

Good Housekeeping Seal
All Bosch slide-in ranges are backed by the Good Housekeeping Seal—a two-year limited warranty.

Concealed bake element
The oven cavity floor hides an 8-pass bake element, offering maximized heat distribution for more even cooking. Since the element is not exposed, you get more usable space for that extra sheet of chocolate chip cookies. Flexibility doesn't stop here since the hidden bake element also makes for the easiest way to clean the inside of your oven.

Meat probe
Our built-in automatic meat temperature probe will allow you to cook more accurately and enjoy perfect meals all the time. When foods reach the preset internal temperature, the oven beeps and turns itself off—giving you optimal temperature control. And by not overcooking, your food also maintains its nutritional value. Food tastes better, and you eat healthier.

Warming zone
100-watt warming zone—perfect for keeping food ready to serve or prewarming dishes.

Genuine European Convection w/ACS
This feature offers a powerful 1,100-watt third heating element that surrounds the convection fan, circulating preheated air throughout the oven. By optimizing heat circulation within the oven cavity, our Advanced Circulation System (ACS) allows food to be cooked more evenly in up to 30% less time.

Convection oven
360° cooking saves time and energy. A fan provides even heat distribution throughout the cavity for superior cooking results.

Full-meal cooking
Thanks to our large capacity and Genuine European Convection, you can cook a feast in your oven. Furthermore, the convection technology prevents fusion of flavors. So your cherry pie won't taste like garlic potatoes, and your pork roast will taste like...pork roast. You're only limited by your imagination.

Convenience

Telescopic rack
With our convenient, full-extension telescopic rack, you can easily view, check and baste your dishes without having to reach into the oven. Our rack glides smoothly and easily, extending fully over the open oven door—even when holding up to 35 pounds. Plus it fits any of our six rack positions and is removable for easy cleanup.

Bridge element
Connects two burners, creating an elongated cooking surface for larger, oval-shaped pans.

Optimized burner spacing
We've revolutionized cooktop design with our unique burner spacing, which offers enhanced versatility. In addition to the PowerSim® burner, our cooktop has a true-simmer rear burner that is offset to the right—ultimately providing more space for larger pots, while leaving plenty of room for your creativity and cooking prowess.

Oval burner
Oval-shaped burner in the center of the cooktop heats food evenly across a large area. Perfect for your griddle or other oversized cookware.

Large warming drawer
With three electronically controlled temperature settings ranging from 140° to 220°F, our stainless steel warming drawer gives you a choice of options for ideal warming temperatures. While it smoothly glides on steel ball bearings, the drawer fully extends for easy access to its 1.3 cubic feet of usable space.

Slide-in Range Specifications

Dual-fuel

Dual-fuel

Electric

Electric

	700 Series	700 Series	700 Series	700 Series
Model Numbers	HDI7282U Stainless Steel Pro	HDI7052U Stainless Steel	HEI7282U Stainless Steel Pro	HEI7052U Stainless Steel
Appearance	True Hidden Bake Element	True Hidden Bake Element	True Hidden Bake Element	True Hidden Bake Element
	Metal Finish Knobs		Metal Finish Knobs	
	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls
	Stainless Steel Framed Cooktop	Stainless Steel Framed Cooktop	Stainless Steel Framed Cooktop	Stainless Steel Framed Cooktop
	Stainless Steel Cooktop Control Panel		Stainless Steel Cooktop Control Panel	
Convenience	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs
	Full-extension Telescopic Rack		Full-extension Telescopic Rack	
	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes
	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.		
	Sealed Burners Prevent Spills From Entering the Burner Box	Sealed Burners Prevent Spills From Entering the Burner Box		
	Integrated Warming Drawer		Integrated Warming Drawer	
	Temperature Probe with Automatic Switch-off		Temperature Probe with Automatic Switch-off	
	Star–K Certified	Star–K Certified	Star–K Certified	Star–K Certified
Performance	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity
	Convection Assisted Self-Cleaning Oven	Convection Assisted Self-Cleaning Oven	Convection Assisted Self Cleaning Oven	Convection Assisted Self Cleaning Oven
	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)
	Power Burner–Quick Heating with 16,000 BTU	Power Burner–Quick Heating with 16,000 BTU	12"/9" Dual Elements	Bridge Element
	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	9"/7"/5" Triple Elements	8"/5" Dual Elements
	OptiSim®–Simmer Delicate Sauces without Scorching (400 BTU)	OptiSim®–Simmer Delicate Sauces without Scorching (400 BTU)	Extra Large 12" Element offers the Capability to use Multiple Pan Sizes	
Accessories	HEZ1060 Backsplash (Wall Installation)	HEZ1060 Backsplash (Wall Installation)	HEZ1060 Backsplash (Wall Installation)	HEZ1060 Backsplash (Wall Installation)

cULus

CSA® approved.

Freestanding Range Specifications

Gas

Gas

Gas

Gas

Gas

	700 Series	700 Series	500 Series	500 Series	300 Series
Model Numbers	HGS7282UC Stainless Steel Pro	HGS7052UC Stainless Steel	HGS5L53UC Stainless Steel	HGS5053UC Stainless Steel	HGS3053UC Stainless Steel HGS3063UC Black HGS3023UC White
Appearance	True Hidden Bake Element	True Hidden Bake Element	True Hidden Bake Element	Hidden Bake Element	Hidden Bake Element
	Metal Finish Knobs	Black Knobs	Metal Finish Knobs	Black Knobs	Black Knobs
	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls			
	Stainless Steel Cooktop	Stainless Steel Cooktop			
	Stainless Steel Cooktop Control Panel		Stainless Steel Cooktop Control Panel		
	Low Profile Grates	Low Profile Grates	Design Fits to Bosch Family Look—Recommended Companion to other Bosch 500 Series Products	Design Fits to Bosch Family Look—Recommended Companion to Other Bosch 500 Series Products	Design Fits to Bosch Family Look—Recommended Companion to Ascenta® Dishwasher, or other Bosch 300 Series Products
Convenience	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs
	Full-extension Telescopic Rack plus Two Regular Racks with Six Different Rack Positions for All Cooking Needs	Three Racks and Six Different Rack Positions Adjust for All Cooking Needs	Two Racks and Six Different Rack Positions Adjust for All Cooking Needs	Two Racks and Six Different Rack Positions Adjust for All Cooking Needs	Two Racks and Six Different Rack Positions Adjust for All Cooking Needs
	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes			
	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.
	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs
	Integrated Warming Drawer	Integrated Warming Drawer			
	Temperature Probe with Automatic Switch-off				
	Star–K Certified	Star–K Certified	Wide View Oven Window–Extra Large Window Provides Easy Viewing of Your Food	Wide View Oven Window–Extra Large Window Provides Easy Viewing of Your Food	Wide View Oven Window–Extra Large Window Provides Easy Viewing of Your Food
Performance	5.1 cu. ft. Capacity	5.1 cu. ft. Capacity	5.0 cu. ft. Capacity	5.0 cu. ft. Capacity	5.0 cu. ft. Capacity
	Convection Assisted Self-Cleaning Oven	Self Clean	Self Clean Cycle Saves Time. Quickly and Easily Cleans your Oven	Self Clean Cycle Saves Time. Quickly and Easily Cleans your Oven	Self Clean Cycle Saves Time. Quickly and Easily Cleans your Oven
	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Convection Saves Time and Energy—Fan Provides Even Heat Distribution Throughout the Cavity for Superior Cooking Results	Convection Saves Time and Energy—Fan Provides Even Heat Distribution Throughout the Cavity for Superior Cooking Results	
	Power Burner–Quick Heating with Powerful 16,000 BTU	Power Burner–Quick Heating with Powerful 16,000 BTU	Power Burner–Quickly Heating with Powerful 17,000 BTU	Power Burner–Quick Heating with Powerful 16,000 BTU	Power Burner–Quick Heating with Powerful 14,000 BTU
	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap			
	OptiSim®–Simmer Delicate Sauces without Scorching (400 BTU)		500-BTU Simmer Burner–Easily Heat Delicate Sauces without Scorching or Burning	500 BTU Simmer Burner–Easily Heat Delicate Sauces without Scorching or Burning	500 BTU Simmer Burner–Easily Heat Delicate Sauces without Scorching or Burning
			Five Burner Gas Ranges–Offers the Maximum Burner Performance and Ultimate Cooking Flexibility	Five-burner Gas Ranges–Offers the Maximum Burner Performance and Ultimate Cooking Flexibility	Five-burner Gas Ranges–Offers the Maximum Burner Performance and Ultimate Cooking Flexibility
			Oval Shaped Burner–Evenly Heat Your Griddle or Other Specialty Shaped Cookware	Oval-shaped Bridge Burner–Evenly Heat Your Griddle or Other Specially-shaped Cookware	
Accessories				HEZ1090 LP Conversion Kit	HEZ1090 LP Conversion Kit

*Products noted were selected by Consumers Digest Best Buy for outstanding value based on performance, features and durability.

UL

CSA approved.

Freestanding Range Specifications

Dual-fuel

Dual-fuel

Electric

Electric

Electric

	700 Series	700 Series	700 Series	700 Series	500 Series
Model Numbers	HDS7282U Stainless Steel Pro	HDS7052U Stainless Steel	HES7282U Stainless Steel Pro	HES7052U Stainless Steel	HES5L53U Stainless Steel
Appearance	True Hidden Bake Element		True Hidden Bake Element	True Hidden Bake Element	True Hidden Bake Element
	Metal Finish Knobs	Black Knobs	Metal Finish Knobs	Black Knobs	Metal Finish Knobs
	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls	ClearTouch® Electronic Oven Controls	
	Stainless Steel Cooktop	Stainless Steel Cooktop	Stainless Steel Cooktop Control Panel		Stainless Steel Cooktop Control Panel
	Stainless Steel Cooktop Control Panel		Stainless Steel Framed Cooktop	Stainless Steel Framed Cooktop	
	Low Profile Grates	Low Profile Grates			
Convenience	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs	Push-to-Turn Knobs
	Full-extension Telescopic Rack	Three Racks and Six Different Rack Positions Adjust for All Cooking Needs	Full-extension Telescopic Rack plus Two Regular Racks with Six Different Rack Positions for All Cooking Needs	Two Racks and Six Different Rack Positions Adjust for All Cooking Needs	
	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	Touch & Turn® Electronic Oven Control with Eight Cooking Modes	
	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.	Continuous Grates–Effortlessly Move Pots and Pans. Easy to Clean.			Two Racks and Six Different Rack Positions Adjust for All Cooking Needs
	Easy to Clean Sealed Burners–Provide Excellent Cleanability in Case of Spill Overs	Sealed Burners Prevent Spills From Entering the Burner Box			
	Integrated Warming Drawer	Integrated Warming Drawer	Integrated Warming Drawer	Integrated Warming Drawer	
	Temperature Probe with Automatic Switch-off		Temperature Probe with Automatic Switch-off		
	Star–K Certified	Star–K Certified	Star–K Certified	Star–K Certified	
Performance	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity	4.6 cu. ft. Capacity	5.4 cu. ft. Capacity
	Self Clean	Self Clean	Convection Assisted Self Cleaning Oven	Convection Assisted Self Cleaning Oven	Self Clean Cycle Saves Time. Quickly and Easily Cleans your Oven
	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Genuine European Convection with Advanced Circulation System (ACS)	Convection Saves Time and Energy—A Fan Provides Even Heat Distribution Throughout the Cavity for Superior Cooking Results
	Power Burner–Quick Heating with Powerful 16,000 BTU	Power Burner–Quick Heating with Powerful 16,000 BTU	12"/9" Dual Elements	Bridge Element	Power Element–Quick Heating with Powerful 3,000 Watt Element
	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	PowerSim®–Quick Heating with Large Flame or Gentle Simmering with a Diffuser Cap	9"/7"/5" Triple Elements	8"/5" Dual Elements	
	OptiSim®–Simmer Delicate Sauces without Scorching (400 BTU)	OptiSim®–Simmer Delicate Sauces without Scorching (400 BTU)	Extra Large 12" Element offers the Capability to use Multiple Pan Sizes		Extra Large 12" Element Offers the Capability to Use Multiple Pan Sizes
					100 Watt Warming Zone–Perfect for Keeping Food Ready to Serve or Prewarming Dishes
					Dual Elements Offer the Capability to use Multiple Pan Sizes
				Bridge Element	
Accessories		n/a	n/a	n/a	n/a

UL

CSA® approved.

Freestanding Range Specifications

Electric

Electric

	500 Series		300 Series	
Model Numbers	HES5053U	Stainless Steel	HES3053U HES3063U HES3023U	Stainless Steel Black White
Appearance	Hidden Bake Element for Improved Cleanability		Hidden Bake Element for Improved Cleanability	
	Black Knobs			
			Design Fits to Bosch Family Look—Recommended Companion to Ascenta® Dishwasher or other Bosch 300 Series Products	
Convenience	Push-to-Turn Knobs		Push-to-Turn Knobs	
	Two Racks and Seven Different Rack Positions Adjust for All Cooking Needs		Two Racks and Seven Different Rack Positions Adjust for All Cooking Needs	
	Wide View Oven Window–Extra large Window Provides Easy Viewing of Your Food		Wide View Oven Window–Extra Large Window Provides Easy Viewing of Your Food	
Performance	5.4 cu. ft. Easily Capacity		5.4 cu. ft. Capacity	
	Self Clean Cycle Saves Time. Quickly and Easily Cleans your Oven		Self Clean Cycle Saves Time, Quickly and Easily Cleans your Oven	
	Convection Saves Time and Energy—A Fan Provides Even Heat Distribution Throughout the Cavity for Superior Cooking Results			
	Power Element–Quick Heating with Powerful 2,700 Watt Element		Power Element–Quick Heating with Powerful 2,500 Watt Element	
	Extra Large 12" Element Offers the Capability to Use Multiple Pan Sizes		12"/9" Dual Elements	
	100 Watt Warming Zone–Perfect for Keeping Food Ready to Serve or Prewarming Dishes		Dual Element Offers the Capability to Use Multiple Pan Sizes	
	Dual Element Offers the Capability to use Multiple Pan Sizes			
Accessories	n/a		n/a	

Colors

Stainless Steel Pro
(HES7282U Model Shown)

Stainless Steel
(HES5053U Model Shown)

Black
(HES3063U Model Shown)

White
(HES3023U Model Shown)

cULus

CSA® approved.



cULus

CSA® approved.

Ventilation

Wall | Island | Custom Insert | Downdraft

Every meal now comes with a breath of fresh air.

We vent, so you don't have to. When you cook, you want things to be perfect. You don't want to be bothered by the hum of a loud vent. That's why we design our ventilation systems to work as quietly as possible. So you can talk while putting together your next masterpiece. Or so you can concentrate on that soufflé, instead of that bothersome hum. Whisper-quiet and very effective, they give your kitchen extra style and a lot more room to breathe.

Bosch's super-efficient, high-performance ventilation products literally freshen the air. Capable of up to 600 CFM, they quickly remove steam, odors, grease and smoke, without adding any distracting noise. As superbly designed as they are quiet, every Bosch ventilation system perfectly complements any Bosch cooktop or range.

Quality

Your meal should be memorable, not its odor. With Bosch's line of quiet, efficient, high-quality ventilation products, you can quickly remove steam, odors, grease and smoke, improving your home's overall air quality.

Performance

Steam, smoke, grease odors—nothing resists our efficient ventilation systems. With four-speed fans, dual blowers and a wide CFM range, you can adjust the fan to the desired amount of exhaust power. And all this power almost goes unnoticed because our hoods are also quiet. Extremely quiet.

Quietness

The sound you don't hear might just be cleaning your air. All of our ventilation products are designed to be extraordinarily quiet. With products as quiet as 53 dBA, our powerful dual-inlet blowers operate at a whisper.

Wall

Whether you prefer under-cabinet or chimney-style ventilation, we offer a complete line of stylish wall hoods with varying CFM levels so you can choose the one that is right for you.

Island

Flaunting crisp lines and glass accents, our island hood offers an aesthetically pleasing, sophisticated design that matches the rest of your kitchen.

Custom insert

Our new flush-fitting custom insert hoods are designed with minimalist styling that makes them barely visible. And their powerfully quiet fans make them barely audible.

Downdraft

The perfect solution for very high ceilings, island installation or simply lack of space, our downdraft rises from behind your cooktop. A rise of over 13" allows for efficient capture of steam and smoke. Available recirculation kit allows venting through the toe-kick of the cabinet.

Model shown left, above: DKE9305AUC, DPH30652UC

Model shown below left: DHL755BUC

Model shown above: DIE165RUC

Model shown below right: DHD3014UC

Wall Hood Specifications

Under-cabinet

Under-cabinet

Under-cabinet

Glass Canopy

Canopy

Pyramid-style Canopy

	800 Series	500 Series	300 Series	800 Series	500 Series	300 Series
Model Numbers	DPH36652UC 36" Stainless Steel DPH30652UC 30" Stainless Steel	DUH36252UC 36" Stainless Steel DUH30252UC 30" Stainless Steel	DUH36152UC 36" Stainless Steel DUH30152UC 30" Stainless Steel	DKE9665PUC 36" Stainless Steel DKE9605PUC 30" Stainless Steel	DKE9465MUC 36" Stainless Steel DKE9405MUC 30" Stainless Steel	DKE9365AUC 36" Stainless Steel DKE9305AUC 30" Stainless Steel
Appearance	Brushed Stainless Steel Finish	Brushed Stainless Steel Finish	Brushed Stainless Steel Finish	Brushed Stainless Steel Finish	Brushed Stainless Steel Finish	Brushed Stainless Steel Finish
	Professional Design			Sophisticated Glass Canopy		Pyramid-style Canopy
				Wall or Ceiling Mounted Chimney Hood		Wall Mounted Chimney Hood
Convenience	Top or Rear Venting Options	Top or Rear Venting Options	Top or Rear Venting Options			
	Two Incandescent Lights	Two Halogen Lights	Two Incandescent Lights	Two Halogen Lights	Two Halogen Lights	Two Incandescent Lights
	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters	Dishwasher-safe Mesh Filters
	Recirculation Option Available	Ducted or Non-Ducted Options	Ducted or Non-Ducted Options	Recirculation Option Available	Recirculation Option Available	
	Easy-to-Use Controls	Easy-to-Use Rotary Control	Easy-to-Use Rotary Control	Seven-segment Digital Display	Seven-segment Digital Display	Slide-Switch Control
				Adjustable Chimney	Adjustable Chimney	Adjustable Chimney
Performance	600 CFM Blower Included	400 CFM Blower Included	280 CFM Blower Included	600 CFM Blower Included	600 CFM Blower Included	400 CFM Blower Included
	Quickly and Quietly Clears the Air of Smoke and Odor	Quickly and Quietly Clears the Air of Smoke and Odor	Quickly and Quietly Clears the Air of Smoke and Odor	Quickly and Quietly Clears the Air of Smoke and Odor	Quickly and Quietly Clears the Air of Smoke and Odor	Quickly and Quietly Clears the Air of Smoke and Odor
	Two Power Levels	Four Power Levels	Three Power Levels	Four Power Levels	Four Power Levels	Three Power Levels
				Whisper-quiet at 54 dBA	Whisper-quiet at 53 dBA	Whisper-quiet at 58 dBA
Accessories	DRZ3652UC Recirculation Kit			DRZ94UC Recirculation Kit	DRZ94UC Recirculation Kit	
	DHZ3052UC Charcoal Filter	DHZ3602UC 36" Charcoal Filter	DHZ3602UC 36" Charcoal Filter			
		DHZ3002UC 30" Charcoal Filter	DHZ3002UC 30" Charcoal Filter			
				DHZ9600UC 11-ft. Chimney Extension	DHZ9400UC 11-ft. Chimney Extension	DHZ9300UC 11-ft. Chimney Extension

Island Hood, Custom Insert Hood and Downdraft Specifications

Glass Canopy Island Hood

Custom Insert Hood

Downdraft

Model Numbers	DIE165RUC	40" Stainless Steel	DHL755BUC	29" Metallic	DHD3614UC DHD3014UC	36" Stainless Steel 30" Stainless Steel
Appearance	Brushed Stainless Steel Finish					
	Sophisticated Glass Canopy				Stands Over 13" Tall—Lowers Out of Sight When Not in Use	
	Ceiling Mounted Chimney Hood		Wall or Island Installations–Up to 36" Wide		Wall or Island Installations	
Convenience					Can be Ducted Left, Right, or Straight Down	
	Four Halogen Lights with Dimmer		Two Halogen Lights			
	Dishwasher-safe Mesh Filters		Dishwasher-safe Mesh Filters		Dishwasher-safe, Full Face Mesh Filters	
					Recirculation Option Also Available	
	Seven-segment Digital Display—Two Control Panels for Easy Access from Around an Island		Slide-Switch Control			
	Adjustable Chimney					
Performance	600 CFM Blower Included		400 CFM Blower Included		600 CFM Blower Options (Sold Separately)	
	Quickly and Quietly Clears the Air of Smoke and Odor		Quickly and Quietly Clears the Air of Smoke and Odor		Quickly and Quietly Clears the Air of Smoke and Odor	
	Four Power Levels		Four Power Levels		Three Power Levels	
	Additional Insulation for Extremely Quiet Operation					
Accessories	n/a		n/a		DHDRM36UC	Recirculation Kit
					DHG601DUC	600 CFM Internal Blower
					DHG6015DUC	600 CFM Inline Blower
					DHG6023UC	600 CFM Remote Blower
					DHZDHR6	Transition for Remote and Inline Blowers Installation

Refrigeration

Built-in French Door | Standard-depth French Door | Counter-depth Side-by-side

You might say we're redefining cool. Just like the perfect meal that uses only the best ingredients, every Bosch refrigerator is built using only the finest materials. With seamless design and numerous counter-depth options, our line is filled with stunning features that convey a stylish, built-in look for your kitchen. And with available VitaFresh® technology, you can keep perishable produce for up to twice as long as you can with conventional refrigeration. It's just one more reason why our refrigerators are a perfect part of the ultimate kitchen.

Fall in love with the tall, silent, efficient type.

Built-in French door refrigerators

French door refrigerators meet German engineering. Custom-fit, completely flush with your cabinetry and roomy enough for almost any sized family, these stylish Bosch refrigerators redefine Continental cool. While you'll first notice how well Bosch preserves your dairy and produce, what you might not notice is its hidden hinges and exhaust grille that adds a subtle design element to your kitchen. It's what happens when German engineering balances form and function.

Framed

Flush

Food preservation

Dual evaporator and dual compressor
Innovative Bosch technology that has separate compressors and evaporators for the refrigerator and freezer sections prevents the transfer of odors and provides improved humidity levels for better food preservation.

Temperature-controlled deli drawer
This drawer is designed for optimal storage of meats and cheeses—giving you plenty of space to store—and see—your food items.

Style

Framed or flush design
Either way, you get a very flexible, functional refrigerator and a smart look. With a fully flush installation, the refrigerator is lined up exactly with your cabinets, providing a sleek appearance. The framed installation makes for a classic built-in, semi-flush design that works with 24"-depth cabinetry.

OptiFlex® hinge
Designed to open out and away from the cabinetry, this ingenious hinge construction allows doors to be mounted flush, yet open to 115˚, without touching or nicking surrounding cabinets.

Extra-tall doors
Our doors extend all the way up to the top of the unit, so all you see is stainless steel with a fully integrated French door that has no visible hinges or exhaust grille.

Convenience

Pre-assembled system
Bosch Integra® is now simpler and faster to install than ever before. All Bosch French door refrigerators come with stainless steel panels and handles pre-assembled.

Ice bin
The new and improved ice bin has been redesigned for maximum ice production and storage.

Full-extension drawers
Even with the door open at a 90-degree angle, Bosch refrigerators feature fully extendable drawers and the conveniences of easy access to your food.

Standard-depth French door refrigerator

Preserving freshness is the most important function for refrigeration. At Bosch, we thought about how we could make it better by automatically keeping food fresher, longer. Available only on the Bosch French door refrigerator, VitaFresh™ works to protect the flavor, texture, and appearance of food. By keeping fruits and vegetables at the perfect humidity and temperature—we help preserve food budgets almost as well as food.

Food preservation

VitaFresh™
At Bosch we know about maintaining the right balance of temperature and humidity for your food. Unlike other refrigerators that just keep things cold, smart VitaFresh technology maintains the optimal temperature and humidity levels automatically without making you guess the right settings for your produce—allowing it to stay fresher, longer. VitaFresh drawers provide a no-fuss solution to the challenge of optimal food storage.

Directional air flow system
An ingenious airflow system utilizing a special ventilation channel allows air to pass over and around the produce drawers. This keeps temperatures at a consistent, ideal level for the contents within. And keeps your food well chilled and even better preserved.

Automatic humidity control
This unique lining maintains the ideal humidity for all types of produce by regulating how much or how little moisture is required for the produce stored in the drawers, keeping foods crisp, healthy and delicious.

Retains up to **20% more moisture content** than conventional refrigerators*

Retains up to **14% more Vitamin C** than conventional refrigerators*

Extends storage life up to **two times longer** than conventional refrigerators*



*VitaFresh results are based on an independent study performed against Bosch conventional refrigerators.

Efficiency

ENERGY STAR® qualified
With the efficient features you expect from Bosch, this refrigerator is ENERGY STAR® qualified—which keeps energy costs low while providing superior performance.

EcoControl
Saves energy with easily accessible exterior controls. Independently change the refrigerator and freezer settings without ever opening the refrigerator or freezer drawer.

Style

Hidden hinges
The hidden door hinges present uninterrupted stainless steel luxury while providing sturdy support and smooth, easy opening.

All-level LED lighting
The interior of the Bosch French door refrigerator glows with fully integrated LED lighting: lighting from above for the overall interior of the refrigerator, in the VitaFresh™ drawers, in the deli drawer, and in the freezer drawer.

Gallon door bins
Milk and other oversized items are placed in the large adjustable gallon door bins, freeing up space on the shelves for additional storage.

Ice and water dispenser
Frameless ice and water dispenser provides pure, cold, filtered water plus crushed and cubed ice. Its sleek design includes seamlessly integrated SteelTouch™ controls.

SteelTouch™ controls
The controls—incredibly responsive with sharp stainless steel minimalist design—make temperature adjustments and other features accessible at the touch of a finger.

Counter-depth side-by-side refrigerators

The Bosch Linea® counter-depth refrigerator is perhaps the most attractive combination of convenient technology, superior food preservation and intelligent design ever made. With its polished design, easy installation and a variety of convenient features, Linea is more than just a beautiful face.

Efficiency

ENERGY STAR® qualified
Every Bosch refrigerator is ENERGY STAR® qualified. With efficient features, such as an alarm indicating the door is ajar, Vacation Mode and Economy Mode, Bosch can significantly reduce your energy bills.

EcoControl
Saves energy with easily accessible outside controls. Independently change the refrigerator, freezer and FreshProtect Box without ever opening the refrigerator doors.

Food preservation

Dual evaporator
No one wants their ice cream to taste like fish. Thanks to innovative Bosch technology, which has a separate evaporator for the refrigerator and freezer compartments, this isn't a problem. Dual evaporators not only prevent the transfer of flavors, they also optimize humidity for improved freshness.

AirFresh Filter®
This activated carbon air filter helps food retain its flavor and keeps ice tasting fresh. To save space, the filter is built into the vents that circulate air through the refrigerator several times per hour, helping clean the air of any unwanted odors.

FreshProtect™ Box
Cool, tailor-made solutions for fish, meat, produce or dairy products. The precise temperature settings—31°F, 34°F or 37°F—help food stored in the FreshProtect Box stay fresh longer. The drawer extends smoothly on telescopic rails and has a net capacity of five gallons. Independent of the remaining refrigerator section, the temperature is set via the control panel on the door exterior.



Convenience

EasyLift™ shelves and door bin
Is the cake platter too tall? Simply lower or raise shelves without unloading and removing them.

Ice and water dispenser
This advanced filling station dispenses water, crushed ice and ice cubes. Use the QuickIce function when entertaining large groups. A water filter ensures the freshest tasting water and an exceptionally bright LED light makes filling a small glass or an oversized pitcher easier than ever.

CoolGlow™ LED interior lighting
A star performance behind closed doors. The interior of the Linea 800 Series shines with exceptionally bright LED lighting for easier viewing. Nothing will be overlooked or forgotten in this brightly illuminated refrigerator.

CoolPaks™
CoolPaks are made to keep food and beverages cold while in a cooler. The two reusable CoolPaks will keep a 10-quart cooler chilled, and they can even keep your refrigerator cool during power outages! An added bonus: CoolPaks conveniently store in their own compartment in the freezer door.

Built-in French Door Refrigeration Specifications

Interior

	800 Series with Flush Design	800 Series with Framed Design
Model Numbers	B36ET71SNS Stainless Steel	B36IT71SNS Stainless Steel w/Frame
Appearance	Unique Flush Design Offers Ultimate Seamless Integration	Unique Framed Design Offers the Ultimate Built-in Look
	OptiFlex® Hinge	OptiFlex® Hinge
Performance	Dual Refrigeration System with Two Compressors and Two Evaporators for Best Humidity/ Temperature and No Odor Transfer	Dual Refrigeration System with Two Compressors and Two Evaporators for Best Humidity/ Temperature and No Odor Transfer
	Deli Drawer for the Best Food Storage of Fish, Meat and Vegetables	Deli Drawer for the Best Food Storage of Fish, Meat and Vegetables
	Electronic Sensor Controls—Keep Temperatures Consistent so Food Stays Fresh No Matter Where it is Stored	Electronic Sensor Controls—Keep Temperatures Consistent so Food Stays Fresh No Matter Where it is Stored
	SuperCool™—Quickly Balances Temperatures Between Cool Items and Newly Placed Goods	SuperCool™—Quickly Balances Temperatures Between Cool Items and Newly Placed Goods
	SuperFreeze™—Quickly Balances Temperatures Between Frozen Items and Newly Placed Goods	SuperFreeze™—Quickly Balances Temperatures Between Frozen Items and Newly Placed Goods
Convenience	Pre-assembled with Stainless Steel Panels and Handles for Quick Installation	Pre-assembled with Stainless Steel Panels and Handles for Quick Installation
	MaxBright™ Lighting System—Provides Even Light Distribution and Brightens Entire Cavity for a Clearer Look	MaxBright™ Lighting System—Provides Even Light Distribution and Brightens Entire Cavity for a Clearer Look
Safety	Door Open Alarm—This Alarm Gently Notifies You when the Door is Left Ajar	Door Open Alarm—This Alarm Gently Notifies You when the Door is Left Ajar
Efficiency	ENERGY STAR® Qualified	ENERGY STAR® Qualified
	Economy Mode	Economy Mode
	Vacation Mode	Vacation Mode
Capacity	19.5 cu. ft.	19.5 cu. ft.

Freestanding French Door Refrigeration Specifications

Interior

	800 Series
Model Numbers	B26FT70SNS Stainless Steel
Appearance	Standard Depth
Performance	VitaFresh™ Food Preservation System with Automatic Humidity and Temperature Control Keeps Food Fresher, Longer
	Multi-Flow Shower Cooling System—For Optimum, Uniform Cold Air Circulation
	SuperCool™/ SuperFreeze™
	QuickIce for Fast Ice Production
Convenience	All-level LED Lighting
	Frameless Exterior Ice and Water Dispenser with LED Illumination Serves Filtered Water, Crushed and Cubed Ice
	Hide-away Water Filter Maximizes Storage Capacity
	Gallon Door Storage Bins
	Adjustable Split-glass Shelving
	Spill-proof Glass Shelves
	Full-extension VitaFresh™ Drawers
	Full-size Deli Drawer
	Hidden Hinges
Safety	Door Open Alarm
	Dispenser Control Lock
Efficiency	ENERGY STAR® Qualified
	EcoControl Saves Energy with Accessible Exterior Controls
Capacity	25.9 cu. ft.

Freestanding Side-by-Side Refrigeration Specifications

800 Series Interior

LEARN MORE AT energystar.gov

	800 Series	500 Series	300 Series
Model Numbers	B22CS80SNS Stainless Steel	B22CS50SNS Stainless Steel B22CS50SNW White	B22CS30SNS Stainless Steel
Appearance	Color-matched Sides	Color-matched Sides	Color-matched Sides
	Counter-depth	Counter-depth	Counter-depth
Performance	Dual Evaporator	Dual Evaporator	Dual Evaporator
	FreshProtect Box™—Three Adjustable Temperature Settings for Fish and Meat, Dairy or Produce	FreshProtect Box™—Three Adjustable Temperature Settings for Fish and Meat, Dairy or Produce	Humidity Controlled Drawer for Produce
	Multi-Flow Shower Cooling System for Optimum, Uniform Cold Air Circulation	Multi-Flow Shower Cooling System for Optimum, Uniform Cold Air Circulation	Multi-Flow Shower Cooling System for Optimum, Uniform Cold Air Circulation
	SuperCool™/SuperFreeze™	SuperCool™/SuperFreeze™	SuperCool™/SuperFreeze™
	Hide-away Water Filter	Hide-away Water Filter	Hide-away Water Filter
	Spill-proof Glass Shelves	Spill-proof Glass Shelves	Spill-proof Glass Shelves
	Touch Controls with LCD Display	Touch Controls with LCD Display	Touch Controls with LED Display
	Hidden Hinges	Hidden Hinges	Hidden Hinges
	Long Door	Long Door	Long Door
	AirFresh Filter®	AirFresh Filter®	
	QuickIce for Fast Ice Production	QuickIce for Fast Ice Production	
Convenience	Frameless Exterior Ice and Water Dispenser	Frameless Exterior Ice and Water Dispenser	Frameless Exterior Ice and Water Dispenser
	CoolGlow™ LED Interior Lighting	Extra Bright Halogen Lighting	Extra Bright Lighting
	Deli Drawer	Deli Drawer	Deli Drawer
	Gallon Door Bins	Gallon Door Bins	Gallon Door Bins
	Full Extension Freezer Drawers	Full Extension Freezer Drawers	Full Extension Freezer Drawers
	Tilt-out Door Bins in Freezer	Tilt-out Door Bins in Freezer	Tilt-out Door Bins in Freezer
	Can Rack	Can Rack	
	Bottle Rack	Bottle Rack	
	CoolPaks™ for Ice Coolers are Conveniently Stored in their Own Compartment in the Freezer Door	CoolPaks™ for Ice Coolers Are Conveniently Stored in Their Own Compartment in the Freezer Door	
	EasyLift™ Shelf	EasyLift™ Shelf	
	EasyLift™ Door Bin		
Safety	Door Open Alarm	Door Open Alarm	Door Open Alarm
	Dispenser Control Lock	Dispenser Control Lock	Dispenser Control Lock
Efficiency	ENERGY STAR® Qualified	ENERGY STAR® Qualified	ENERGY STAR® Qualified
	Economy Mode	Economy Mode	
	Vacation Mode	Vacation Mode	
Capacity	21.7 cu. ft.	21.7 cu. ft.	22.1 cu. ft.

Colors

Stainless Steel
(B22CS50SNS
Model Shown)

White
(B22CS50SNW
Model Shown)

Compact Laundry

Commitment to capacity. That’s the thinking behind Bosch’s German-engineered Axxis® washer and dryer. Even with its 24" width, stackable installation, and 60% less water and energy usage than the industry average, Bosch’s Axxis can handle **up to 40 shirts in one load**. It’s all part of our commitment to push the envelope of convenience and utility.

Quality

For 53 years, Bosch has engineered the world's best washers, and has evolved into the leading manufacturer of European washers worldwide. Our success was built on our commitment toward producing washers with the highest standards in mind. And with 100% of our washers and dryers tested at our facilities, it's no wonder that Bosch has won numerous accolades for their superior quality and value.

German-engineered, global know-how
Take one look at a Bosch laundry appliance and you'll see that it's unique in its design quality. From the shape of its glass door to the rubber seal and revolutionary structure of its drum, every Bosch laundry machine is precisely crafted from the very best materials.

One-piece stainless steel drum
The high-quality one-piece drum in Bosch washers and dryers protects your fabrics and extends the life of your clothes.

Touch Controls
Bosch's European-size laundry units are extremely easy to use, thanks to their convenient Touch Controls. These controls are incredibly responsive and easily activate with just the touch of a button.

ENERGY STAR® qualified
Bosch clothes washers are ultra-efficient. In fact, they exceed ENERGY STAR® requirements by up to 63%.

Good Housekeeping Seal
Bosch washers and dryers are backed by the Good Housekeeping Seal, which provides an independent two-year limited warranty.

Convenience

Combining simple installation with a compact form, Bosch gives you the option to place your washer anywhere in your home. With no ducting requirements, Bosch gives you the flexibility to place your washer in an area that's most convenient to you.

Condensation drying
Offering the latest technology on the market, condensation drying condenses the moisture in the hot air and releases it through the water drain. This way, no ducting and no blower are necessary to help expel hot air. This makes installation easy, fast and cost-effective.

Capacity
Even with our small footprint, our washer holds more than most. With a 17.6-pounds-per-load capacity, it easily fits up to 14 pairs of jeans in one load. Plus, an expansive viewing window and lightweight door make loading and unloading a snap.

Easy installation
You can stack or install your laundry appliances side by side, on a pedestal, in the closet or under the counter. Bosch washers and dryers offer endless installation possibilities, as you only need one electrical line to run both appliances.

Extra Fine Lint Filter
The wearing and washing of textiles causes lint which becomes detached during drying. The unique double walled extra fine lint filters reduce the amount of lint buildup inside machine and ensure greater wear comfort. It is also very easy to clean and maintenance.

WrinkleBlock®
Featuring advanced WrinkleBlock technology, our dryers ensures your clothes stay wrinkle-free in the dryer for up to two hours.

Performance

Leveraging our technological expertise, Bosch has created a washer line that performs at elite standards. And by utilizing features like customizable wash cycles, we're keeping our commitment toward efficiency and the environment.

Automatic wash system
Bosch understands your needs as they relate to common and specialty wash programs. We created a simple approach that allows you to quickly and easily select a cycle that automatically determines the weight of clothing and suds. The automatic wash system then adjusts the water level, temperature and spin speeds to manage your cleaning tasks, and ensures that no extra water or energy is wasted. Of course, there may be occasion to override Bosch's programs, in which case you can customize your own program and command the machine's cycle yourself.

Intelligent drying system
An intelligent network of sensors ensure the perfect drying results by maintaining the exact drying temperature, monitoring moisture left in your clothes and preventing wrinkles before they start.

Raindrop-structured drum
Bosch washers feature an innovative raindrop drum pattern that delivers a tailored solution for all fabric types, for powerful cleaning that protects your clothes. Depending on the cycle, the washer adjusts the direction of the drum rotation, using the steeper edges for heavy duty or shallow edges for delicate fabrics that required gentler care.

Gentle drying
The design of the drum surface creates an air cushion between the textile and the drum, ensuring gentle results.

Quiet operation
The 3D sensors in Bosch washers monitor the load weight and movement of the drum in three dimensions to eliminate extreme unbalances. Additionally, the circular pattern of the AntiVibration™ sidewalls reinforces its strength, making the drum much more stable. The result is up to 30% less vibration.

Wool Cycle
Special program with low spin speed, short program time and reduced temperature to safely clean your washable wool. Reduce you trips to dry cleaner—clothes come out beautifully and you can save time and money.

Sanitary Cycle
Using a thermostat-controlled, intelligent sensor for improved precision, this innovative cycle heats up to 161°F and maintains this temperature for three minutes. After killing 99% of most common household bacteria, the water temperature is reduced to prevent fabric breakdown.

Tailored washing programs
With up to 15 different tailored washer programs and up to 11 different tailored dryer programs, Bosch offers the flexibility and fabric care that specifically meet your everyday needs.



Installations as unique as your vision.

Bosch’s deft, compact design gives you the versatility you want without sacrificing the utility you need. Whether you’re looking for an avant-garde motif or simply extra space in your laundry room, Bosch’s sleek look melts into any space.

Compact Washer Specifications

	Axxis® Plus Washer	Axxis® Washer
Model Numbers	WAS24460UC White	WAS20160UC White
Appearance	Large Capacity on Compact Footprint	Large Capacity on Compact Footprint
	15 Wash Cycles and Eight Wash Options	15 Wash Cycles and Six Wash Options
	Large LED Display	Multi-Function Status LED
	Advance Touch Control Technology	Advance Touch Control Technology
	Stainless Steel Structured Drum	Stainless Steel Structured Drum
Convenience	Wash Up to 17.6 lbs.	Wash Up to 17.6 lbs.
	Stackable — Space Saving	Stackable — Space Saving
	Washer Plugs into Dryer for Easy Installation	Washer Plugs into Dryer for Easy Installation
	Large LED Display with Remaining Time	Multi-Function Status LED
	End of Cycle Signal	End of Cycle Signal
	Self-cleaning Detergent Dispenser	Self-cleaning Detergent Dispenser
	24-hour Delay Start Timer	
Quiet Performance	Virtually silent: 56 dBA	Virtually silent: 56 dBA
	3D Sensor Controls Imbalance	3D Sensor Controls Imbalance
	AntiVibration Design Reduces Vibration by up to 30%	AntiVibration Design Reduces Vibration by up to 30%
Performance	Unique Raindrop Drum Pattern for Powerful Cleaning that Protects Clothes	Unique Raindrop Drum Pattern for Powerful Cleaning that Protects Clothes
	Up to 1200 rpm Maximum Spin Speed	Up to 1000 rpm Maximum Spin Speed
	Five Spin Speed Settings/ Five Temperature Settings	Five Spin Speed Settings
	Sensor-controlled Automatic Washing Programs	Sensor-controlled Automatic Washing Programs
	Sanitary Cycle Heats Wash Water Up to 161° F	Sanitary Cycle Heats Wash Water Up to 161° F
	KidsCare® Cycle Removes Toughest Stains with Ease	KidsCare® Cycle Removes Toughest Stains with Ease
	Refresh Cycle Refreshes Loads Up to Four lbs.	Refresh Cycle Refreshes Loads Up to Four lbs.
	Wool/Handwash Cycle	Wool/Handwash Cycle
	Heavy Duty Option Targets the Toughest Stains	Heavy Duty Option Targets the Toughest Stains
	Reduced Ironing Option	Reduced Ironing Option
	Rinse Plus Option Improved Rinsing	Rinse Plus Option Improved Rinsing
	Sport Wear Cycle	
	Quick Wash Cycle for Small Light-soil Loads	
	Dark Color Cycle Prevents Fading	
	Silk/Satin Cycle for Sensitive Fabric	
Efficiency	Energy Star® Qualified	Energy Star® Qualified
	Exceed Energy Star® Requirements by up to 63%	Exceed Energy® Star Requirements by up to 63%
	Advanced SensoTronic® II Plus Analyzes Washer for Appropriate Level and Temperature of Water	Advanced SensoTronic® II Plus Analyzes Washer for Appropriate Level and Temperature of Water
	Internal Water Heater Heats Water Quickly and Efficiently	Internal Water Heater Heats Water Quickly and Efficiently
Accessories	WTZ11310UC White Stacking Kit	WTZ11310UC White Stacking Kit
	WTZ11300UC White Stacking Kit with Pull-out Tray	WTZ11300UC White Stacking Kit with Pull-out Tray
	WTZ1640 AquaStop® Hose—Washer	WTZ1640 AquaStop® Hose—Washer

Compact Dryer Specifications

	Axxis® Condensation Dryer	Axxis® Vented Dryer
Model Numbers	WTE86300US White (Condensation)	WTV76100US/CN White (vented)
Appearance	Large Capacity on Compact Footprint	Large Capacity on Compact Footprint
	11 Drying Cycles and Four Drying Options	9 Drying Cycles and Two Drying Options
	Multi-Function LED with Remaining Time	Multi-Function Status LED
	Advance Touch Control Technology	Advance Touch Control Technology
	One-piece Stainless Steel Structured Drum	One-piece Stainless Steel Structured Drum
	See-thru Door	See-thru Door
Convenience	Drying Up to 17.6 lbs. — Fits Up to 14 Pairs of Jeans in One Load	Drying Up to 17.6 lbs. — Fits Up to 14 Pairs of Jeans in One Load
	Stackable — Space Saving and Easy Installation	Stackable — Space Saving and Easy Installation
	Multi-Function LED with Remaining Time	Multi-Function Status LED
	Extra Fine Lint Filter for Easy Cleaning and Maintenance	Extra Fine Lint Filter for Easy Cleaning and Maintenance
	24-hour Delay Start Timer	
Quiet Performance	Virtually silent: 67 dBA	Virtually silent: 67 dBA
Performance	Long-lasting One Piece Snag Free Stainless Steel Drum	Long-lasting One Piece Snag Free Stainless Steel Drum
	Unique Structured Drum Pattern Creates an Air Cushion to Protect Your Clothes	Unique Structured Drum Pattern Creates an Air Cushion to Protect Your Clothes
	118 CFM High Air Volume	110 CFM High Air Volume
	Sensor-controlled Automatic Drying Programs	Sensor-controlled Automatic Drying Programs
	Intelligent Sensors Prevent Overheating	Intelligent Sensors Prevent Overheating
	Touch Up Cycle for Extreme Temperature-sensitive Fabrics (20 min.)	Touch Up Cycle for Extreme Temperature-sensitive Fabrics (20 min.)
	40-minute Timed Program	40-minute Timed Program
	Low Heat Option Reduces Heat on Specified Program	Low Heat Option Reduces Heat on Specified Program
	Extended WrinkleBlock® Up to 120 min.	Extended WrinkleBlock® Up to 60 min.
	Short Program for Small Loads	
	Easy Ironing Option	
	Wool Cycle for Machine-washable Woolen Textiles	
Efficiency	Intelligent Moisture Sensor Monitors the Drying Process to Preventing Wasted Energy and Overdrying	Electronic Moisture Sensor Monitors the Drying Process to Preventing Wasted Energy and Overdrying
Accessories	WTZ11310UC White Stacking Kit	WTZ11310UC White Stacking Kit
	WTZ11300UC White Stacking Kit with Pull-out Tray	WTZ11300UC White Stacking Kit with Pull-out Tray

Accessories

Stacking Kit with Pull-out Tray
(WTZ11300UC Model Shown)

Stacking Kit
(WTZ11310UC Model Shown)

AquaStop® Hose—Washer
(WTZ1640 Model Shown)

Small Appliances

Coffee Machines | Kitchen Machines

Take it from our engineers, there's inspiration in that first cup of coffee. Whether you are looking for a beautifully stylish Bosch built-in coffeemaker to serve you your favorite cup of java in the morning or the amazingly versatile Tassimo, we take your taste—and your beans—seriously. Coffee, espresso, cappuccinos, lattes—take your pick, and we'll brew it with the touch of a button. Like our coffeemakers, the kitchen machine is another one of our small appliances that brings modern design and innovation to your kitchen.

It’s your kitchen. It just smells like an Italian cafe.

Benvenuto® Built-in Coffee Machines

AromaSwirl®
This special system completely engulfs each coffee ground in hot water and then brews them in a pressurized chamber. The result is coffee made under perfect conditions.

Your brew, your way
By using the coffee selection knobs, you can choose the exact size and strength of beverage. Brewed for you, by you.

Choose your perfect grind
The Benvenuto® works equally well with whole beans or pre-ground coffee. You have complete control over the amount of coffee used for each cup, as well as the coarseness of the grind.

One-touch operation
The Bosch Benvenuto® is so simple, anyone can use it. You can start the entire brewing process with just the push of a button.

Tassimo Single-Serve Coffee Machines

Smart bar code scanner
Each T DISC has a unique bar code that the TASSIMO machine reads. It then adjusts the brew temperature and amount of water to makes the perfect cup every time.

Large variety of high-quality beverages
Tassimo is the only home brewing system that gives everyone exactly what they want. Creating the perfect caffe crema, espresso, coffee, latte, cappuccino, tea, and hot chocolate has never been easier.

Customized beverage strength
You can interrupt or extend the cycle of your coffee, cappuccino, latte, macchiato, hot chocolate or tea to your taste.

Flow-through water heater
Near-instant brewing the moment the machine is powered on means no pre-heat time. And when you’re ready to enjoy another cup, there’s virtually no wait time between beverages.

It does everything but cook the food.

Universal Kitchen Machines

Powerful motor function
800 watts of motor power and a 6.5-quart mixing bowl can handle up to 15 lb. of dough.

Mixing protection
Safety is important. The mixer is designed so it works only when the top is closed. Strong suction feet on the base add stability.

Dishwasher-friendly
All parts and accessories are safe for the dishwasher, and the removable axle makes it a lot easier to clean.

Optional blender
To add more versatility, like making frozen drinks, smoothies, milkshakes or a variety of sauces and dips, the blender is the perfect accompaniment.

Easy-on and -off accessories
From food processors perfect for chopping and mixing to meat grinders that allow you to grind and mince fresh meats, to noodle attachments that allow you to create pasta in a variety of shapes, our accessories can prepare food in almost every conceivable manner.

Small Appliances Specifications

	T65 Tassimo® Single-serve Coffee Machine	T45 Tassimo® Single-serve Coffee Machine	T20 Tassimo® Single-serve Coffee Machine
Model Numbers	T65 TAS6515UC Titanium	T45 TAS4515UC Silver T45 TAS4516UC Red	T20 TAS2001UC White T20 TAS2002UC Black T20 TAS2004UC Gray
Appearance	Space-saving Design in a Sophisticated Color	Space-saving Design in a Sophisticated Color	Space-saving Design in a Sophisticated Color
Convenience	Fully Automatic One-button Operation	Fully Automatic One-button Operation	Fully Automatic One-button Operation
	Intelligent Drink Identification Bar Code Reader Identifies the Size of Drink, Brewing Time, and Precise Temperature to Make the Perfect Beverage	Intelligent Drink Identification Bar Code Reader Identifies the Size of Drink, Brewing Time, and Precise Temperature to Make the Perfect Beverage	Intelligent Drink Identification Bar Code Reader Identifies the Size of Drink, Brewing Time, and Precise Temperature to Make the Perfect Beverage
	Variable Drink Strength: Fully Automatic Brew Cycle Can Be Interrupted or Extended at Any Time	Variable Drink Strength: Fully Automatic Brew Cycle Can Be Interrupted or Extended at Any Time	Variable Drink Strength: Fully Automatic Brew Cycle Can Be Interrupted or Extended at Any Time
	Water Filtration System	Water Filtration System	
	Multilingual LC Display—Guides Users Through All Functions and Service Steps in Five Languages		
	Cup Light Stand—Lights Above the Cup Stand for Illumination		
Performance	Large Variety of High-quality Hot Beverages: Freshly Brewed Coffee, Espresso, Cappuccino, Latte Macchiato, Hot Chocolate or Tea Right Away	Large Variety of High-quality Hot Beverages: Freshly Brewed Coffee, Espresso, Cappuccino, Latte Macchiato, Hot Chocolate or Tea Right Away	Large Variety of High-quality Hot Beverages: Freshly Brewed Coffee, Espresso, Cappuccino, Latte Macchiato, Hot Chocolate or Tea Right Away
	Innovative Flow-Through Water Heater Ready to Go the Moment the Machine is Switched On and Virtually No Heat-up Time Between Drinks	Innovative Flow-Through Water Heater™ Ready to Go the Moment the Machine is Switched On and Virtually No Heat-up Time Between Drinks	Innovative Flow-Through Water Heater™ Ready to Go the Moment the Machine is Switched On and Virtually No Heat-up Time Between Drinks
	Low Energy Consumption—Automatically Reverts to Stand-by Mode after Every Brewing Cycle	Low Energy Consumption—Automatically Reverts to Stand-by Mode after Every Brewing Cycle	Low Energy Consumption—Automatically Reverts to Stand-by Mode after Every Brewing Cycle
	Only Brewer Using Real Milk	Only Brewer Using Real Milk	Only Brewer Using Real Milk
	Noise Reduction System Reduces Noise While Brewing	Noise Reduction System Reduces Noise While Brewing	
Optional Accessories			TCZ2001 Color Kit—Strawberry Red TCZ2002 Color Kit—Mint Blue TCZ2003 Color Kit—Lime Green TCZ2004 Color Kit—Hazelnut Brown

Color Kits

Strawberry Red
(TCZ2001 Model Shown)

Mint Blue
(TCZ2002 Model Shown)

Lime Green
(TCZ2003 Model Shown)

Hazelnut Brown
(TCZ2004 Model Shown)

Small Appliances Specifications

	Benvenuto® Built-in Coffee Machine
Model Numbers	TKN68E75UC Stainless Steel
Convenience	Easy to Use Multilingual Digital Display
	Single Portion Cleaning
	Freshly Brewed Coffee and Espresso at the Push of a Button
	Rotary Knobs for Selecting All Functions
	Separate Large Chambers for Coffee Beans (14 oz.) and Ground Coffee
	Separate Container for Second Ground Coffee Flavor or Decaf
	Removable Water Tank for Easy Filling (½ gallon)
	Height-adjustable Coffee Dispenser
	Automatic Descaling Program
	Automatic Cleaning Program
	Fully Automatic Rinse Program at Turn-on and Turn-off
	Includes: Measuring Spoon, Water Filter, Two Cleaning Tablets
	Eight Coffee Temperature Levels
Performance	AromaSwirl® Brewing System for Maximum Flavor Extraction
	215 psi (15 bar) Thermo Block-pump Pressure System
	Steam and Hot Water Function
	Automatic Grinding System, Holds up to 14 oz. Fresh Coffee Beans: Degree of Grinding Selectable
	12-cup Size and Levels of Coffee Strength (Grind Quantity)—Smooth to Super Strong

	Universal Kitchen Machine Plus	Universal Kitchen Machine
Model Numbers	MUM6N11UC	MUM6N10UC
Convenience	Security Device, Cover for Both Drives	Security Device, Cover for Both Drives
	Integrated Cable Storage	Integrated Cable Storage
	Durable, Easy to Clean Surface	Durable, Easy to Clean Surface
	Wide Range of Optional Accessories Eliminate the Need for Many Additional Kitchen Appliances	Wide Range of Optional Accessories Eliminate the Need for Many Additional Kitchen Appliances
Performance	800-watt Motor	800-watt Motor
	Easy to Use (4 Speeds plus Impulse) with Slower Low-speed Setting; Faster High-speed Setting	Easy to Use (4 Speeds plus Impulse) with Slower Low-speed Setting; Faster High-speed Setting
	6.5-quart High-volume Mixing Bowl with Higher Dough Capacity	6.5-quart High-volume Mixing Bowl with Higher Dough Capacity
	Dough Hook, Scraper and Double Beater Included	Dough Hook, Scraper and Double Beater Included
	1.5-quart Blender for Mixing, Blending and Crushing Ice	

Universal Kitchen Machine Accessories

Universal Kitchen Machine Accessories	Accessory Model No.
1. Blender	MUZ6MX3
2. Citrus Juicer	MUZ6ZP1
3. Food Processor	MUZ6MM3
4. Shredder with Bowl	MUZ6TS5
5. Julienne Disc	MUZ7JS1
6. French Fries Disc	MUZ7PS1
7. Coarse Grater Disc	MUZ7RS1
8. Fine Grater Disc	MUZ7KS1
9. Food and Meat Grinder	MUZ6FW4
10. Batter Whisk	MUZ6DB2UC
11. Wire Whisk	MUZ6DB3
12. Sausage Stuffer	MUZ7WS1
13. Fruit Pulper	MUZ7FV1
14. Pasta Attachment	MUZ7NV1
15. Cereal Mill	MUZ7GM1
16. Stainless Steel Bowl	MUZ6ER2
17. Plastic Bowl	MUZ6KR4NUC

Dishwasher Technical Details

Model	800 Series Plus	800 Series Plus	800 Series Plus	800 Series Plus	800 Series Plus	800 Series Plus	800 Series	800 Series	800 Series	500 Series	500 Series	500 Series	500 Series	300 Series
Color														
Stainless Steel	SHE9ER55UC	SHX9ER55UC	SHE8ER55UC	SHX8ER55UC	SHE7ER55UC	SHX7ER55UC	SHX98M09UC	SHE68R55UC	SHX68R55UC	SHX55RL5UC	SHE55R55UC	SHX55R55UC	SHE55M15UC	SHE43P25UC
White								SHE68R52UC	SHX68R52UC		SHE55R52UC	SHX55R52UC	SHE55M12UC	SHE43P22UC
Black								SHE68R56UC	SHX68R56UC		SHE55R56UC	SHX55R56UC	SHE55M16UC	SHE43P26UC
Other														
Custom Panel		SHV9ER53UC		SHV8ER53UC		SHV7ER53UC			SHV68R53UC			SHV55R53UC		
Silence														
dBA	39	39	40	40	42	42	42	44	44	46	46	46	47	52
InfoLight®		■		■		■	■	■	■	■	■	■		
Efficiency														
Water–gallons/load	2.22	2.22	2.22	2.22	2.22	2.22	2.9	2.9	2.9	2.95	2.95	2.95	2.95	2.95
Energy–kWh/year	200	200	180	180	259	259	190	234	234	259	259	259	259	259
Wash Cycles	6	6	6	6	5	5	9	6	6	4	4	4	5	4
Heavy			■	■	■	■		■	■	■	■	■	■	■
Normal	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Auto	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Half Load										■	■	■		
Delicate			■	■	■	■		■	■				■	
Express	■	■	■	■	■	■	■	■	■				■	■
Rinse/Rinse & Hold							■	■	■					
Glass Care	■	■	■	■			■							
Auto Plus	■	■					■							
Auto Delicate	■	■					■							
Extreme Wash							■							
Enviro Wash							■							
Options	5	5	5	5	3	3	2	3	3	2	2	2	3	2
Half Load	■	■	■	■	■	■		■	■				■	■
EcoAction®	■	■	■	■									■	
Extra Wash	■	■	■	■										
Sanitize	■	■	■	■	■	■	■	■	■	■	■	■		
Delay Start	24 h	24 h	24 h	24 h	24 h	24 h	24 h	19 h	19 h	19 h	19 h	19 h	19 h	19 h
Safety														
Leak Protection	AquaStop® Plus	AquaStop® Plus	AquaStop® Plus	AquaStop® Plus	AquaStop® Plus	AquaStop® Plus	AquaStop®	AquaStop®	AquaStop®	AquaStop®	AquaStop®	AquaStop®	AquaStop®	AquaStop®
ChildLock Electric			■										■	■
ChildLock Mechanical	■													
PerfectDoor®	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Self-latching Door														
Wash Sensor														
EcoSense®	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Load Size Sensor	■	■					■							
Variable Spray Pressure	■	■	■	■	■	■	■	■	■					
Upper Rack	VarioFlex™ Plus	VarioFlex™ Plus	VarioFlex™	VarioFlex™	Vario™	Vario™	800	800	800	800	500	500	800	500
Place Setting Capacity	15	15	15	15	15	15	14	14	14	14	14	14	14	14
Adjustability	RackMatic® Plus	RackMatic® Plus	RackMatic® Plus	RackMatic® Plus	RackMatic® Plus	RackMatic® Plus	RackMatic®	RackMatic®	RackMatic®	RackMatic®	RackMatic®	RackMatic®	RackMatic®	RackMatic®
ActiveTab® Tray	■	■	■	■	■	■								
Handle	ActiveTab® Tray with s/s	ActiveTab® Tray with s/s	ActiveTab® Tray	ActiveTab® Tray	ActiveTab® Tray	ActiveTab® Tray	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic
Flip Tines	6	6	2	2	0	0	4	2	2	2	1	1	4	2
Cup Shelves	2	2	2	2	2	2		3	3	3	2	2	2	2
Plastic Item Clips	3	3	3	3	0	0								
Small Accessory Basket	■	■					■	■	■	■	■	■		
Knife Rack														
Lower Rack	VarioFlex™ Plus	VarioFlex™ Plus	VarioFlex™	VarioFlex™	Vario™	Vario™	800	800	800	500	500	500	800	Standard
Handle	Bosch Plastic with s/s	Bosch Plastic with s/s	Bosch Plastic	Bosch Plastic			Bosch Plastic	Bosch Plastic	Bosch Plastic	Handle Wire	Handle Wire	Handle Wire	Handle Wire	Handle Wire
Flip Tines	6	6	4	4	2	2	4	2	2	1	1	1	4	
Plastic Item Clips														2
Silverware Basket	Flexible	Flexible	Flexible	Flexible	Flexible	Flexible	Flexible	Duo-Flex	Duo-Flex	Duo-Flex	Duo-Flex	Duo-Flex	Duo-Flex	Standard
Silverware Basket Cover	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Vase/Baby Bottle Holder	■	■						■	■					
Display														
Remaining Time	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Sanitized Indicator Light	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Rinse Aid Indicator Light	■	■	■	■	■	■	■	■	■	■	■	■	■	■
End-of-Cycle Indicator														
Other														
3rd Loading Level	■	■	■	■	■	■								
Extra Tall Item Sprinkler	■	■	■	■	■	■	■	■	■	■	■	■	■	
Detergent & Rinse-Aid Dispenser	■	■	■	■	■	■	■	■	■	■	■	■	■	■
End-of-Cycle Sound	■	■	■	■	■	■	■	■	■	■	■	■	■	■
OptiDry®	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Power Cord Included	■	■	■	■	■	■								
Water Hose Included	■	■	■	■	■	■								

Dishwasher Technical Details

Model	300 Series	300 Series	300 Series	300 Series	300 Series	Ascenta	Ascenta	Ascenta	Ascenta	Ascenta
Color										
Stainless Steel	SHE43RL5UC	SHX43RL5UC	SHE43R55UC	SHX43R55UC	SHX33RL5UC	SHE3AR75UC	SHX3AR75UC	SHE3ARL5UC	SHE3AR55UC	SHX3AR55UC
White	SHE43RL2UC	SHX43RL2UC	SHE43R52UC	SHX43R52UC		SHE3AR72UC	SHX3AR72UC	SHE3ARL2UC	SHE3AR52UC	SHX3AR52UC
Black	SHE43RL6UC	SHX43RL6UC	SHE43R56UC	SHX43R56UC		SHE3AR76UC	SHX3AR76UC	SHE3ARL6UC	SHE3AR56UC	SHX3AR56UC
Other										
Custom Panel				SHV43R53UC						
Silence										
dBA	48	48	48	48	50	50	50	50	50	50
InfoLight®	■	■	■	■						
Efficiency										
Water—gallons/load	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95	2.95
Energy—kWh/year	259	259	259	259	259	279	279	279	279	279
Wash Cycles	4	4	4	4	4	6	6	5	4	4
Heavy	■	■	■	■	■	■	■	■	■	■
Normal	■	■	■	■	■	■	■	■	■	■
Auto	■	■	■	■	■	■	■	■	■	■
Half Load	■	■	■	■		■	■	■	■	■
Delicate						■	■			
Express					■	■	■	■		
Rinse/Rinse & Hold										
Glass Care										
Auto Plus										
Auto Delicate										
Extreme Wash										
Enviro Wash										
Options	2	2	1	1	1	2	2	2	2	2
Half Load										
EcoAction®										
Extra Wash										
Sanitize	■	■	■	■	■	■	■	■	■	■
Delay Start	19h	19 h				3/6/9 h	3/6/9 h	3/6/9 h	3/6/9 h	3/6/9 h
Safety										
Leak Protection	AquaStop®	AquaStop®	AquaStop®	AquaStop®	AquaStop®	24/7 Overflow	24/7 Overflow	24/7 Overflow	24/7 Overflow	24/7 Overflow
ChildLock Electric						■		■	■	
ChildLock Mechanical										
PerfectDoor®	■	■	■	■	■	■	■	■	■	■
Self-latching Door						■	■	■	■	
Wash Sensor										
EcoSense®	■	■	■	■	■	■	■	■	■	■
Load Size Sensor										
Variable Spray Pressure						■	■	■	■	■
Upper Rack	500	500	300	300	500	300	300	Standard	Standard	Standard
Place Setting Capacity	14	14	14	14	14	14	14	14	14	14
Adjustability	RackMatic®	RackMatic®	Manual	Manual	RackMatic®	Manual	Manual			
ActiveTab® Tray										
Handle	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic	Bosch Plastic			
Flip Tines	2	2	1	1	2	1	1	1	1	1
Cup Shelves	2	2	2	2	2	2	2	1	1	1
Plastic Item Clips										
Small Accessory Basket										
Knife Rack										
Lower Rack	300	300	300	300	Standard	300	300	Standard	Standard	Standard
Handle	Handle Wire	Handle Wire	Handle Wire	Handle Wire		Handle Wire	Handle Wire			
Flip Tines	1	1	1	1		1	1			
Plastic Item Clips										
Silverware Basket	Long	Long	Long	Long	Long	Long	Long	Long	Long	Long
Silverware Basket Cover	■	■	■	■	■	■	■	■	■	■
Vase/Baby Bottle Holder										
Display										
Remaining Time	■	■				■				
Sanitized Indicator Light	■	■	■	■	■	■	■	■	■	■
Rinse Aid Indicator Light	■	■	■	■	■	■	■	■	■	■
End-of-Cycle Indicator						■	■	■	■	
Other										
3rd Loading Level										
Extra Tall Item Sprinkler										
Detergent & Rinse-Aid Dispenser	■	■	■	■	■	■	■	■	■	■
End-of-Cycle Sound	■	■	■	■	■					
OptiDry®	■	■	■	■	■	■	■	■	■	■
Power Cord Included										
Water Hose Included										

Special Application

18" ADA	24" ADA
SRX53C15UC	SGE63E15UC
	SGE63E06UC
SRV53C13UC	
49	49
2.98	2.0
306	234
5	6
■	■
■	■
	■
■	■
■	■
■	
	■
2	5
■	■
	■
	■
	■
19 h	24 h
AquaStop® Plus	AquaStop® Plus
	■
■	■
Premium	Vario™
9	14
RackMatic®	Manual
	■
Bosch Plastic	Active Tray
2	0
2	2
0	0
Premium	Vario™
Bosch Plastic	
4	2
Flexible	Flexible
	■
■	■
■	■
■	■
■	■
■	■
■	
■	■
■	■
■	■

Oven Technical Details

Model Number	800 Series	500 Series	800 Series	500 Series	500 Series	300 Series	300 Series	800 Series	500 Series	500 Series	300 Series	300 Series	300 Series
Color													
Stainless steel	HBL8750UC	HBL5750UC	HBL8650UC	HBL5650UC	HBN5650UC	HBL3550UC	HBN3550UC	HBL8450UC	HBL5450UC	HBN5450UC	HBL3450UC	HBN3450UC	HBL3350UC
Black		HBL5760UC		HBL5660UC		HBL3560UC			HBL5460UC		HBL3460UC		HBL3360UC
White		HBL5720UC		HBL5620UC					HBL5420UC				
Type	30" Combination	30" Combination	30" Double	30" Double	27" Double	30" Double	27" Double	30" Single	30" Single	27" Single	30" Single	27" Single	30" Single
Microwave Configuration*	Convection	Traditional											
Appearance													
Flush-to-Cabinet Design	■	■	■	■	■	■	■	■	■	■	■	■	■
Touch Control	■		■					■					
Ergonomic Retractable Dials		■		■	■				■	■			
Ergonomic Dials						■	■				■	■	■
Amber Colored Full Text Display	■	■	■	■	■			■	■	■			
Amber Colored Display						■	■				■	■	■
Performance													
Genuine European Convection	■	■	Upper/Lower	Upper	Upper			■	■	■			
Speed Convection	■	■	Upper	Upper	Upper			■	■	■			
Convection Bake, Broil, Roast	■	■	Upper/Lower	Upper	Upper	Upper	Upper	■	■	■	■	■	
Bake, Broil, Roast	■	■	Upper/Lower	Upper/Lower	Upper/Lower	Upper/Lower	Upper/Lower	■	■	■	■	■	■
Pizza, Pie	■	■	Upper/Lower	Upper	Upper	Upper	Upper	■	■	■	■	■	
Recipes	■	■	Upper/Lower	Upper	Upper			■	■	■			
Fast Preheat	■	■	Upper/Lower	Upper	Upper	Upper	Upper	■	■	■	■	■	
Meat Probe	■	■	Upper	Upper	Upper			■	■	■			
Self Clean Mode	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle	Two-hour Cycle
Star–K Certified	■	■	■	■	■			■	■	■			
Panel Lock	■		■					■					
Convenience													
Ball Bearing Telescopic Racks	1		1					1					
Standard Racks	2	3	5	5	5	5	5	2	3	3	3	3	2
Porcelain Self Clean Rack Supports	■	■	■	■	■	■	■	■	■	■	■	■	■
Porcelain Broil Pan	■	■	■	■	■			■	■	■			
Cavity Lighting	3 Halogen	2	3 Halogen per Cavity	2 per Cavity	2 per Cavity	1 per Cavity	1 per Cavity	3 Halogen	2	2	1	1	1
Concealed Bake Element	■	■	■	■	■	■	■	■	■	■	■	■	■
Recessed 10 Pass Broil Element	■	■	■	■	■	■	■	■	■	■	■	■	■
Overall Oven Capacity*	4.7 cu. ft.	4.7 cu. ft.	4.7 cu. ft.	4.7 cu. ft.	4.2 cu. ft.	4.7 cu. ft.	4.2 cu. ft.	4.7 cu. ft.	4.7 cu. ft.	4.2 cu. ft.	4.7 cu. ft.	4.2 cu. ft.	4.7 cu. ft.
Technical													
Convection Element Wattage	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W			2,000 W	2,000 W	2,000 W			
Broil Element Wattage	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W	3,600 W
Bake Element Wattage	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W	2,000 W
Dual-Rated 120/208-240 Volts, 4 Wire, 60 Hz	■	■	■	■	■	■	■	■	■	■	■	■	■
Amps	50	50	40	40	40	40	40	30	30	30	30	30	30
Approximate Shipping Weight	267 lb.	267 lb.	328 lb.	328 lb.	315 lb.	328 lb.	315 lb.	193 lb.	193 lb.	179 lb.	193 lb.	179 lb.	193 lb.

*Please refer to the Microwave section for specifications.

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice.
For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Induction Cooktop Technical Details

Model	800 Series, 36"	800 Series, 30"	500 Series, 36"	500 Series, 30"	300 Series, 30"
Color					
Black w/ Stainless Steel Trim	NIT8665UC	NIT8065UC	NIT5665UC	NIT5065UC	
Black					NIT3065UC
Element Size and Performance					
Left Front Size(s)	7"	9"	7"	9"	9"
Left Front Performance (with SpeedBoost®)	1,800 (2,500) W	2,200 (3,300) W	1,800 (2,500) W	2,200 (3,300) W	2,200 (3,300) W
Left Rear Size(s)	7"	6"	7"	6"	6"
Left Rear Performance (with SpeedBoost®)	1,800 (2,500) W	1,400 (1,800) W	1,800 (2,500) W	1,400 (1,800) W	1,400 (1,800) W
Center Size(s)	11"/7"		11"/7"		
Center Performance (with SpeedBoost®)	2,800 (4,400) W / 1,800 (2,500) W		2,800 (4,400) W / 1,800 (2,500) W		
Right Rear Size(s)	6"	11"	6"	11"	11"
Right Rear Performance (with SpeedBoost®)	1,400 (1,800) W	2,400 (3,600) W	1,400 (1,800) W	2,400 (3,600) W	2,400 (3,600) W
Right Front Size(s)	9"	6"	9"	6"	6"
Right Front Performance (with SpeedBoost®)	2,200 (3,300) W	1,400 (1,800) W	2,200 (3,300) W	1,400 (1,800) W	1,400 (1,800) W
Cooktop Power Requirements					
Voltage	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz
Amperage/Breaker	50	40	50	40	40

Gas Cooktop Technical Details

Model	800 Series, 36"	800 Series, 30"	500 Series, 36"	500 Series, 30"	300 Series, 36"	300 Series, 36"
Color						
Stainless Steel	NGM8654UC	NGM8054UC	NGM5654UC	NGM5054UC	NGM3654UC	NGM3054UC
Black			NGM5664UC	NGM5064UC		
White			NGM5624UC	NGM5024UC		
Burner Performance						
Left Front Performance	1,350–12,000 BTU	1,350–10,000 BTU	1,350–12,000 BTU	1,350–10,000 BTU	1,350–12,000 BTU	1,350–10,000 BTU
Left Rear Performance	1,350–12,000 BTU	1,100–5,500 BTU	1,350–12,000 BTU	1,350–10,000 BTU	1,350–12,000 BTU	1,350–10,000 BTU
Center Performance	1,350–18,000 BTU	1,350–16,000 BTU	1,350–16,000 BTU	n/a	1,350–14,000 BTU	n/a
Right Front Performance	1,350–12,000 BTU	1,100–5,500 BTU	1,350–12,000 BTU	1,350–16,000 BTU	1,350–12,000 BTU	1,350–14,000 BTU
Right Rear Performance	1,100–5,500 BTU	1,350–10,000 BTU	1,100–5,500 BTU	1,100–5,500 BTU	1,100–5,500 BTU	1,100–5,500 BTU
Cooktop Installation Requirements						
Voltage	120 V, 3 Wire Power Cord	120 V, 3 Wire Power Cord	120 V, 3 Wire Power Cord	120 V, 3 Wire Power Cord	120 V, 3 Wire Power Cord	120 V, 3 Wire Power Cord
Amperage/Breaker	15	15	15	15	15	15

Electric Cooktop Technical Details

Model	800 Series, 36"	800 Series, 30"	500 Series, 36"	500 Series, 30"	300 Series, 36"	300 Series, 30"
Color						
Black w/ Stainless Steel Trim	NET8654UC	NET8054UC	NET5654UC	NET5054UC		
Black					NEM3664UC	NEM3064UC
Element Size and Performance						
Left Front Size(s)	7"	7"/5"	7"	7"	7"/5"	7"/5"
Left Front Performance	1,800 W	1,700/700 W	1,800 W	1,800 W	1,700/700 W	1,700/700 W
Left Rear Size(s)	7"	7"	7"	7"	7"	7"
Left Rear Performance	1,800 W	1,800 W	1,800 W	1,800 W	1,800 W	1,800 W
Center Size(s)	12"/8"/6"		9"/6"	9"/6"	7"	
Center Performance	3,080/1,950/ 1,050 W		2,500 W/1,100 W	2,500 W/1,100 W	1,800 W	
Right Rear Size(s)	6"	12"/8"/6"	6"	6"	6"	6"
Right Rear Performance	1,200 W	2,700/1,950/ 1,050 W	1,200 W	1,200 W	1,200 W	1,200 W
Right Front Size(s)	8"/5"	6"	8"/5"		9"/6"	9"
Right Front Performance	1,900 W/800 W	1,200 W	1,900 W/800 W		2,500 W/1,100 W	2,500 W
Bridge Performance	400 W		400 W	400 W		
Cooktop Power Requirements						
Voltage	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz	Dual Rated 208/240 V, 3-Wire, 60 Hz
Amperage/Breaker	50	40	40	40	40	30

Slide-in Range Technical Details

Model	700 Series	700 Series	700 Series	700 Series
Fuel Type	Dual-fuel	Dual-fuel	Electric	Electric
Color				
Stainless Steel Pro	HDI7282U		HEI7282U	
Stainless Steel		HDI7052U		HEI7052U
Black				
White				
Gas Cooktop Performance				
Left Rear	1,300–12,500 BTU	1,300–12,500 BTU		
Left Front	1,300–12,500 BTU	1,300–12,500 BTU		
Center				
Right Rear	800–5,500 BTU	800–5,500 BTU		
Right Front	1,300–16,000 BTU	1,300–16,000 BTU		
Gas Cooktop Features				
OptiSim® (400 BTU)	1	1		
PowerSim® Burner	1	1		
Sealed Burners	■	■		
Continuous Grates (Cast-Iron)	■	■		
Electronic Ignition	■	■		
Power Burner	■	■		
Simmer Burner	■	■		
Oval Burner				
Electric Cooktop Element Size(s) and Performance				
Left Rear Size(s)/ Performance			5", 8"/1,900 W	7"/1,800 W
Left Front Size(s)/ Performance			6"/1,500 W	7"/1,800 W + 800 W Bridge
Center Size(s)/ Performance				
Right Rear Size(s)/ Performance			6"/1,200 W	6"/1,200 W
Right Front Size(s)/ Performance			12", 9", 6"/2,700 W	5", 7", 9", 2,500 W
Electric Cooktop Features				
Smooth Surface (Ceramic Glass)			■	■
Stainless Steel Cooktop Frame			■	■
Hot Surface Indicator Light			4	4
Electronic Cooktop On Indicator Lights			■	■
Simmer Element				
Bridge Element (800 W)				■
Oven Performance				
Broil	3,600 W	3,600 W	3,600 W	3,600 W
Bake	2,000 W	2,000 W	2,000 W	2,000 W
Third Element	1,100 W	1,100 W	1,100 W	1,100 W
Oven Features				
Capacity	4.6 cu. ft.	4.6 cu. ft.	4.6 cu. ft.	4.6 cu. ft.
Genuine European Convection	■	■	■	■
Convection				
Temperature Probe	■		■	
Convection Assisted Self-clean	■	■	■	■
Self-Clean				
Full Extension Telescopic Rack	1		1	
Standard Racks	2	3	2	3
Rack Positions	6	6	6	6
Variable Broiling (Min/Max)	■	■	■	■
Oven Light	■	■	■	■
Wide View Oven Window				
Hidden Bake Element	■	■	■	■
Cooking Modes				
Bake	■	■	■	■
Broil	■	■	■	■
Automatic Convection Bake	■	■	■	■
Convection Bake				
Convection Broil	■		■	
Convection Roast	■	■	■	■
Convection Conversion	■	■	■	■
Dehydrate	■	■	■	■
Keep Warm Oven Mode	■	■	■	■
Star–K Certified	■	■	■	■
Proof	■	■	■	■
Console/Controls				
ClearTouch® Oven Controls	■	■	■	■
Touch Oven Controls				
Knobs with “Push-to-Turn” system	■	■	■	■
Metal Finish Knobs	■		■	
Electronic Clock & Timers	■	■	■	■
Oven Control Lock out				
Delayed Bake	■	■	■	■
Panel Lock				
Lower Drawer				
Warming Drawer	■		■	
Storage Drawer		■		■
Installation Requirements				
Dual Rated 208/240 V, 4-wire, 60 Hz	■	■	■	■
120 V, 3-wire, 60 Hz				
Amperage/Breaker	30	30	40	40
Natural/LP Gas Convertible	■	■		

Freestanding Range Technical Details

Model	700 Series	700 Series	500 Series DLX	500 Series	300 Series
Fuel Type	Gas	Gas	Gas	Gas	Gas
Color					
Stainless Steel Pro	HGS7282UC				
Stainless Steel		HGS7052UC	HGS5L53UC	HGS5053UC	HGS3053UC
Black					HGS3063UC
White					HGS3023UC
Gas Cooktop Performance					
Left Rear	1,300–12,500 BTU	1,300–12,500 BTU	1,200–12,000 BTU	1,200–12,000 BTU	1,200–12,000 BTU
Left Front	1,200–9,100 BTU	1,200–9,100 BTU	850–9,500 BTU	850–9,500 BTU	850–9,500 BTU
Center			2,500–9,500 BTU	2,500–9,500 BTU	850–9,500 BTU
Right Rear	800–5,500 BTU	800–5,500 BTU	500–5,000 BTU	500–5,000 BTU	500–5,000 BTU
Right Front	1,300–16,000 BTU	1,300–16,000 BTU	1,800–17,000 BTU	1,800–16,000 BTU	1,500–14,000 BTU
Gas Cooktop Features					
OptiSim® (400 BTU)	Right Rear				
PowerSim® Burner	Right Front	Right Front			
Sealed Burners	■	■	■	■	■
Continuous Grates (Cast-Iron)	■	■	■	■	■
Electronic Ignition	■	■	■	■	■
Power Burner	■	■	■	■	■
Simmer Burner	■	■	■	■	■
Oval Burner			■	■	
Electric Cooktop Element Size(s) and Performance					
Left Rear Size(s)/ Performance					
Left Front Size(s)/ Performance					
Center Size(s)/ Performance					
Right Rear Size(s)/ Performance					
Right Front Size(s)/ Performance					
Electric Cooktop Features					
Smooth Surface (Ceramic Glass)					
Stainless Steel Cooktop Frame					
Hot Surface Indicator Light					
Electronic Cooktop On Indicator Lights					
Simmer Element					
Bridge Element (800 W)					
Oven Performance					
Broil	12,500 BTU	12,500 BTU	13,500 BTU	13,500 BTU	13,500 BTU
Bake	17,000 BTU	17,000 BTU	18,000 BTU	18,000 BTU	18,000 BTU
Third Element	400 W	400 W	-	-	-
Oven Features					
Capacity	5.1 cu. ft.	5.1 cu. ft.	5.0 cu. ft.	5.0 cu. ft.	5.0 cu. ft.
Genuine European Convection	■	■			
Convection			■	■	
Temperature Probe	■				
Convection Assisted Self-clean	■	■			
Self-Clean			■	■	■
Full Extension Telescopic Rack	1				
Standard Racks	2	3	2	2	2
Rack Positions	6	6	5	5	5
Variable Broiling (Min/Max)	■	■	■	■	■
Oven Light	■	■	■	■	■
Wide View Oven Window			■	■	■
Hidden Bake Element	■	■	■	■	■
Cooking Modes					
Bake	■	■	■	■	■
Broil	■	■	■	■	■
Automatic Convection Bake	■	■			
Convection Bake			■	■	
Convection Broil					
Convection Roast	■	■			
Convection Conversion	■	■			
Dehydrate	■	■			
Keep Warm Oven Mode	■	■			
Star–K Certified	■	■			
Proof	■	■			
Console/Controls					
ClearTouch® Oven Controls	■	■			
Touch Oven Controls			■	■	■
Knobs with “Push-to-Turn” system	■	■	■	■	■
Metal Finish Knobs	■		■		
Electronic Clock & Timers	■	■	■	■	■
Oven Control Lock out				■	■
Delayed Bake	■	■	■	■	■
Panel Lock			■	■	■
Lower Drawer					
Warming Drawer	■	■			
Storage Drawer			■	■	■
Installation Requirements	■	■	■	■	■
Dual Rated 208/240 V, 4-wire, 60 Hz	15	15	15	15	15
120 V, 3-wire, 60 Hz	■	■	■	■	■
Amperage/Breaker					
Natural/LP Gas Convertible					

Freestanding Range Technical Details

Model	700 Series	700 Series	700 Series	700 Series		500 Series DLX	500 Series	300 Series
Fuel Type	Dual-fuel	Dual-fuel	Electric	Electric		Electric	Electric	Electric
Color								
Stainless Steel Pro	HDS7282U		HES7282U					
Stainless Steel		HDS7052U		HES7052U		HES5L53U	HES5053U	HES3053U
Black								HES3063U
White								HES3023U
Gas Cooktop Performance								
Left Rear	1,300–12,500 BTU	1,300–12,500 BTU						
Left Front	1,200–9,100 BTU	1,200–9,100 BTU						
Center								
Right Rear	800–5,500 BTU	800–5,500 BTU						
Right Front	1,300–16,000 BTU	1,300–16,000 BTU						
Gas Cooktop Features								
OptiSim® (400 BTU)	Right Rear							
PowerSim® Burner	Right Front	Right Front						
Sealed Burners	■	■						
Continuous Grates (Cast-Iron)	■	■						
Electronic Ignition	■	■						
Power Burner	■	■						
Simmer Burner	■	■						
Oval Burner								
Electric Cooktop Element Size(s) and Performance								
Left Rear Size(s)/ Performance			5", 7", 9"/2,500 W	7"/1,800 W		6"/1,200 W	6"/1,200 W	6"/1,200 W
Left Front Size(s)/ Performance			6"/1,200 W	7"/1,800 W + 800 W Bridge		6", 9"/2,500 W	6", 9"/2,500 W	6",9"/2,500 W
Center Size(s)/ Performance						6"/100 W (warming zone)	6"/100 W (warming zone)	
Right Rear Size(s)/ Performance			6"/1,200 W	6"/1,200 W		6"/1,200 W	6"/1,200 W	6"/1,200 W
Right Front Size(s)/ Performance			9", 12"/2,700 W	5", 9"/2,500 W		9", 12"/3,000 W	9", 12"/2,700 W	6", 9"/2,500 W
Electric Cooktop Features								
Smooth Surface (Ceramic Glass)			■	■		■	■	■
Stainless Steel Cooktop Frame			■	■				
Hot Surface Indicator Light			4	4		1	1	1
Electronic Cooktop On Indicator Lights			4	4		5	5	4
Simmer Element						■	■	■
Bridge Element (800 W)				■				
Oven Performance								
Broil	3,600 W	3,600 W	3,600 W	3,600 W		3,600 W	3,600 W	3,600 W
Bake	2,000 W	2,000 W	2,000 W	2,000 W		3,500 W	3,500 W	3,500 W
Third Element	1,100 W	1,100 W	1,100 W	1,100 W		-		
Oven Features								
Capacity	4.6 cu. ft.	4.6 cu. ft.	4.6 cu. ft.	4.6 cu. ft.		5.4 cu. ft.	5.4 cu. ft.	5.4 cu. ft.
Genuine European Convection			■	■				
Convection	■	■				■	■	
Temperature Probe	■		■					
Convection Assisted Self-clean	■	■	■	■		■	■	
Self-Clean								■
Full Extension Telescopic Rack	1		1					
Standard Racks	2	3	2	3		2	2	2
Rack Positions	6	6	6	6		5	5	5
Variable Broiling (Min/Max)	■	■	■	■		■	■	■
Oven Light	■	■	■	■		■	■	■
Wide View Oven Window						■	■	■
Hidden Bake Element	■	■	■	■		■	■	■
Cooking Modes								
Bake	■	■	■	■		■	■	■
Broil	■	■	■	■		■	■	■
Automatic Convection Bake	■	■	■	■				
Convection Bake						■	■	
Convection Broil	■		■					
Convection Roast	■	■	■	■				
Convection Conversion	■	■	■	■				
Dehydrate	■	■	■	■				
Keep Warm Oven Mode	■	■	■	■				
Star–K Certified	■	■	■	■				
Proof	■	■	■	■				
Console/Controls								
ClearTouch® Oven Controls	■	■	■	■				
Touch Oven Controls						■	■	■
Knobs with “Push-to-Turn” system	■	■	■	■		■	■	■
Metal Finish Knobs	■		■			■		
Electronic Clock & Timers	■	■	■	■		■	■	■
Oven Control Lock out						■	■	■
Delayed Bake	■	■	■	■		■	■	■
Panel Lock						■	■	■
Lower Drawer								
Warming Drawer	■	■	■	■				
Storage Drawer						■	■	■
Installation Requirements								
Dual Rated 208/240 V, 4-wire, 60 Hz	30	30	■	■		■	■	■
120 V, 3-wire, 60 Hz	■	■						
Amperage/Breaker			40	40		40	40	40
Natural/LP Gas Convertible								

Refrigeration Technical Details

Series	800	800	800	800	500	300
Color						
Stainless Steel	B36ET71SNS	B36IT71SNS	B26FT70SNS	B22CS80SNS	B22CS50SNS	B22CS30SNS
White					B22CS50SNW	
Model						
French Door Bottom Mount	■	■	■			
Side-by-Side				■	■	■
Type						
Built-In	■	■				
Free Standing			■	■	■	■
Appearance						
Standard Depth			■			
Counter Depth				■	■	■
Built-In Flush Design	■					
Built-In Framed Design		■				
Color-matched Sides				■	■	■
Long, Tall Door	■	■		■	■	■
Hidden Hinges	■	■	■	■	■	■
Performance						
Dual Evaporator/Dual Compressor	■	■				
Dual Evaporator				■	■	■
Multi-Flow Shower Cooling System	■	■	■	■	■	■
Temperature Controlled Drawer	■	■		■	■	
VitaFresh™ Food Preservation Drawers			■			
SuperCool™/SuperFreeze™	■	■	■	■	■	■
QuickIce			■	■	■	
Air Filter	■	■		■	■	
Water Filter	■	■	■	■	■	■
Controls	Interior Electronic	Interior Electronic	Exterior SteelTouch™	Exterior Touch Controls	Exterior Touch Controls	Exterior Touch Controls
Display Screen	Interior	Interior	Exterior, LED	Exterior, LCD	Exterior, LCD	Exterior, LED
Convenience						
Frameless Exterior Ice Water Dispenser			■	■	■	■
Icemaker	■	■	■	■	■	■
Cubed Ice	■	■	■	■	■	■
Crushed Ice			■	■	■	■
Gallon Door Storage Bins	■	■	■	■	■	■
Frameless Glass Shelves	■	■				
Spill Proof Glass Shelves			■	■	■	■
Adjustable Split Glass Shelving	■	■	■			
Full Extension Refrigerator Drawers	■	■		■	■	■
Full Extension Freezer Drawers	■	■	■	■	■	■
EasyLift™ Shelf				2	1	
EasyLift™ Door Bin				1		
CoolPaks				■	■	
Deli Drawer	■	■	■	■	■	■
Can Rack				■	■	
Wine Rack				■	■	
Tilt-out Door Bins in Freezer				■	■	■
Lighting						
Lighting Type	Halogen	Halogen	All-level LED	CoolGlow™ LED	Standard 2x40 W	Standard 2x25 W
Safety						
Door Open Alarm	■	■	■	■	■	■
Ice and Water Dispenser Lock			■	■	■	■
Efficiency						
ENERGY STAR® Qualified	■	■	■	■	■	■
Economy Mode	■	■		■	■	
Vacation Mode	■	■		■	■	
Sabbath Mode	■	■		■	■	
Capacity						
Refrigerator cu. ft.	13.8	13.8	16.9	13.3	13.3	13.7
Freezer cu. ft.	5.7	5.7	9.0	8.4	8.4	8.4
Total cu. ft.	19.5	19.5	25.9	21.7	21.7	22.1

Compact Washer Technical Details

Series	Axxis® Plus Washer	Axxis® Washer
Color		
White	WAS24460UC	WAS20160UC
Core Features		
Capacity DOE(cu. ft.)	2.16 cu. ft.	2.16 cu. ft.
Spin Speed	1,200 rpm	1,000 rpm
Number of Wash Cycles	15	15
Number of Wash Options	8	6
Efficiency		
ENERGY STAR® Qualified	■	■
Energy Use	145 kWh/y	140 kWh/y
Modified Energy Factor (MEF)	2.12	2.05
Water Factor (WF)	4.8	4.8
Annual Water Consumption	4,064	4,064
Design Elements		
Display	Large LED Display	LED Indicators
Cabinet	White	White
Door	Silver	Silver
Drum	Stainless Steel, Structured Drum	Stainless Steel, Structured Drum
Cycles	15	15
Cotton	■	
Regular/Cotton (Cold, Warm, Hot)		■
Permanent press	■	
Permanent press (Cold, Warm, Hot)		■
Delicates	■	■
Hand wash	■	■
Dark Colors	■	
Drain	■	■
KidsCare™	■	■
Quick Wash	■	
Refresh	■	■
Sanitary™	■	■
Silk/Satin	■	
Soak	■	■
Spin	■	■
Sports Wear	■	
Wool	■	■
Options	8	6
Delay Start	■	
Heavy Duty	■	■
Reduced Ironing	■	■
Rinse Plus	■	■
Signal	■	■
Spin Speed Selection	■	■
Temperature Selection	■	
Start/Pause	■	■
Advanced Features		
Anti-Vibration Design	■	■
3D Sensor	■	■
Control Types	Touch Control	Touch Control
Raindrop Structured Drum	■	■
Internal Water Heater	■	■
Self-cleaning detergent drawer	■	■
SensoTronic® Plus		■
SensoTronic® II Plus	■	
Dimensions		
Height	33 3⁄16"	33 3⁄16"
Width	23 9⁄16"	23 9⁄16"
Depth	24 ½"	24 ½"
Packaging HxWxD	34 ¾" x 25 ½" x 26 ¾"	34 ¼" x 25 ¼" x 26 ¾"
Minimum Staking Height	68 15⁄32"	68 15⁄32"
Leveling Legs/Height Adjustment Range	Yes, ½"	Yes, ½"
Weight	168 lbs.	165 lbs.
Shipping Weight	171 lbs.	165 lbs.
Door Opening (Angle)	165°	165°
Technical Information		
Supply Voltage	208/240 V	208/240 V
Frequency	60 Hz	60 Hz
Amperage	12 A	12 A
Required Installation Amperage	30 A	30 A
Heating	1,350 W	1,350 W
Plug Included	240V 3-prong	240V 3-prong
Plug into Dryer	■	■

Compact Dryer Technical Details

Series	Axxis® Condensation Dryer	Axxis® Vented Dryer
Color		
White	WTE86300US	WTV76100US/CN
Core Features		
Capacity (cu. ft.)	3.95 cu. ft.	3.9 cu. ft.
Silence Rating	67 dB	67 dB
Number of Drying Cycles	11	9
Number of Drying Options	4	2
Design Elements		
Display	Large LED Display	LED Indicators
Cabinet	White	White
Door	Silver	Silver
See-thru Door	■	■
Drum	One Piece Stainless Steel, Structured Drum	One Piece Stainless Steel, Structured Drum
Cycles	11	9
Regular/Cotton (Extra Dry, Very Dry, Regular Dry, Damp Dry)	■	■
Permanent press (Very Dry, Regular Dry, Damp Dry)	■	■
Short Program	■	
Timed Program	Warm 40 min.	Warm 40 min.
Touch Up	■	■
Wools	■	
Options	4	2
Delicates/Low Heat	■	■
Easy Ironing	■	
Delay Start up to 24 hrs.	■	
Start/Pause	■	■
Advanced Features		
Control Types	Touch Control	Touch Control
Unique Structured Drum	■	■
WrinkleBlock®	Up to 120 min.	Up to 60 min.
Fully Electronic Moisture Sensor	■	■
Interior Light	■	
Lint Filter Indicator	■	■
Dimensions		
Height	33 3⁄16"	33 3⁄16"
Width	23 9⁄16"	23 9⁄16"
Depth	24 5⁄8"	24 5⁄8"
Packaging HxWxD	34 1⁄4"x 24 3⁄4"x 26 3⁄4"	34 1⁄4"x 24 3⁄4"x 27 1⁄2"
Minimum Staking Height	68 15⁄32"	68 15⁄32"
Leveling Legs/Height Adjustment Range	Yes, 3⁄8"	Yes, 3⁄8"
Weight	99 lbs.	94 lbs.
Shipping Weight	101 lbs.	97 lbs.
Door Opening (Angle)	160°	160°
Technical Information		
Supply Voltage	208/240 V	208/240 V
Frequency	60 Hz	60 Hz
Amperage	13 A	13 A
Required Installation Amperage	30 A	30 A
Required Air-Flow - Intake	118 CFM (200m³/h)	110 CFM (187 m³/h)
Plug Included	240V 4-prong	240V 4-prong
Type	Electronic	Electronic
Venting	Condensing—No venting required	Rear & Left (no vent kit required)
Drain line including drain pump	Yes, drain line along w/washer	

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Dishwasher Dimensions and Installation

Recessed Handle Dishwashers



*23⅝" without decor strips

SHE9ER55UC



*23⅝" without decor strips

SHE7ER55UC
SHE8ER55UC



*23⅝" without decor strips

SHE55M1_UC **SHE68R5_UC**
SHE55R5_UC



*23⅝" without decor strips

SHE3AR5_UC **SHE43R5_UC**
SHE3AR7_UC **SHE43RL_UC**
SHE3ARL_UC **SHE43P2_UC**
SHE45R55UC



*23⅝" without decor strips

SGE63E06UC
SGE63E15UC

Bar Handle Dishwashers



*23⅝" without decor strips

SHX9ER55UC



*23⅝" without decor strips

SHX7ER55UC
SHX8ER55UC



*23⅝" without decor strips

SHX55R5_UC **SHX68R5_UC**
SHX55RL5UC **SHX98M09UC**

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice.
For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Bar Handle Dishwashers



*23⅝" without decor strips

SHX3AR5_UC **SHX33RL5UC**
SHX3AR7_UC **SHX43R5_UC**



SRX53C15UC

Custom Panel Dishwashers



* 23⅝" without decor strips
** Measured from the lower edge of the worktop.
Recommended panel thickness ¾".
Panel weight 9–18 lbs.

SHV9ER53UC



* 23⅝" without decor strips
** Measured from the lower edge of the worktop.
Recommended panel thickness ¾".
Panel weight 9–18 lbs.

SHV7ER53UC



* 23⅝" without decor strips
** Measured from the lower edge of the worktop.
Recommended panel thickness ¾".
Panel weight 9–18 lbs.

SHV43R53UC **SHV68R53UC**
SHV55R53UC



* Measured from the bottom edge of the countertop.
Recommended panel thickness ¾".

SRV53C13UC

Oven, Microwave and Warming Drawer Dimensions and Installation

Ovens



30" Combination Models



30" Double Models



27" Double Models



30" Single Models



27" Single Models



30" Single Models, Under Induction Cooktop

The built-in oven can be installed below the induction cooktop as long as there is an air clearance of 1" between the bottom of the cooktop and the top of the oven.



30" Single Models, Under Electric Cooktop

The built-in oven can be installed below the electric cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven.



30" Single Models, Under Gas Cooktop

The built-in oven can be installed below the gas cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven.

Note: Dimensions based on standard countertop height (36¾" with 4" toe kick including base plate).

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Built-in Microwaves



HMB80x0



HMB50x0

Over-the-Range Microwaves



HMV30x1U, HMV5051U, HMV8051U


Grounded Outlet (inside upper cabinet)
12"–12⅞"
min. 30" cabinet opening width
min. 66" to floor
min. 30" clearance from bottom of cabinet to cooking surface of countertop

Warming Drawers



HWC800500



HWD30x0UC



HWD2750UC

Cooktop Dimensions and Installation

Induction Cooktops



36" Models



30" Models

* Minimum distance from the cooktop cutout to the wall
** Installed depth includes 1" of air clearance
*** Minimum distance between surface of the cooktop and lower edge of the exhaust hood

Gas Cooktops



36" Models



30" Series Models

Electric Cooktops



36" Models



30" Series Models

* Minimum distance from the cooktop cutout to the wall
*\ Maximum cutout depth
*** Minimum distance between surface of the cooktop and lower edge of the exhaust hood

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Range Dimensions and Installation

Slide-in Ranges



700 Series Dual-Fuel Models



700 Series Electric Models



NOTE: Back filler strips not provided for installation in standard range cut-out,

Freestanding Ranges



700 Series Gas/Dual-Fuel Models



500 and 300 Series Gas Models





700 Series Electric Models



500 and 300 Series Electric Models



Ventilation Dimensions and Installation

Under-Cabinet Wall Hoods



36" 800 Series Model



36" 500 and 300 Series Models





30" 800 Series Model



30" 500 and 300 Series Models



30" and 36" 800 Series Model side view



30" and 36" 500 and 300 Series Models

Canopy Wall Hoods



36" 800 Series Models



30" 800 Series Models



Chimney Extension

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice.
For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Canopy Wall Hoods



36" 500 Series Models



30" 500 Series Models



Chimney Extension



36" 300 Series Models



30" 300 Series Models



Chimney Extension

Island and Custom Insert Hoods



Glass Canopy Island Hood



Custom Insert Hood

Ventilation Dimensions and Installation

Downdraft





36" Downdraft





30" Downdraft





DHDRM36UC Recirculation Kit









Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice. For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Refrigeration Dimensions and Installation

Built-in French Door Refrigerators









* Depends on the thinkness of the furniture door. ¾" is relevant for the stainless steel door. (special accessory)

B36ET71SNS (Flush)

A: Area for installation of power connection.
B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.
C: Cut-out depth must be at minimum 25" deep for flush design.

Built-in French Door Refrigerators









* Required space for finger guard
** Door handle must be added to this dimension.

B36IT71SNS (Framed)

A: Area for installation of power connection.
B: Area for running the water line. It is recommended that the water-box is placed adjacent to the installation cavity, so that it can be accessed for service without uninstalling the appliance. If this is not possible, place the recessed water-box adjacent to the water supply socket elevated at the heights as referenced in areas A and B.
C: Cut-out depth must be at minimum 24" deep.

Standard-depth French Door Refrigerators



B26FT70SNS



* If the appliance is placed next to a range, the lateral distance must be at least min. 1".
** The clearance in the back must include the space of the water connection.



Drawers can be pulled out with door open 90°.
Drawers can be taken out with door completely opened.

Refrigeration Dimensions and Installation

Counter-depth Side-by-side Refrigerators





* Minimum fixed wall position





B22CSx0SNx

Built-in Coffee Machine Dimensions and Installation

Built-in Benvenuto® Coffee Machine







TKN68E75UC

Note: Dimensions are for planning only. For details, see installation manual, or visit www.bosch-home.com/us. Specifications subject to change without notice.
For immediate installation dimensions by fax, call 1.925.284.3558. Use code #8317 for a directory of Bosch products. Also available online at dexpress.com.

Laundry Dimensions and Installation

Compact Washers and Dryers





WAS Washers[1]







WTE/WTV Dryers

WMZ20460

[1] Minimum stacking height 68 ½"





Closet installation with WTE863100US





Undercounter Installation (with required clearance)

*Install with WTV dryer if vented to the left side.

Warranties

Dishwasher

Limited warranty, entire appliance, parts and labor (1 year)

Limited warranty for non-electronic components; parts only (1st to 2nd year)

Limited warranty for microprocessor or printed circuit board; parts only (2nd to 5th year)

Limited warranty for racks (does not include rack components); parts only (2nd to 5th year)
Limited warranty for rust-through on inner tub liner; parts only (lifetime)

Laundry

Limited warranty, entire appliance, parts and labor (2 year)

Ovens

Limited warranty, entire appliance, parts and labor (1 year)

Cooktops

Limited warranty, entire appliance, parts and labor (1 year)

Ranges

Limited warranty, entire appliance, parts and labor (1 year)

Ventilation

Limited warranty, entire appliance, parts and labor (1 year)

Microwave

Limited warranty, entire appliance, parts and labor (1 year)

Warming Drawer

Limited warranty, entire appliance, parts and labor (1 year)

Refrigeration

Limited warranty, entire appliance, parts and labor (1 year)

Limited warranty for non-electronic components; parts only (1st to 2nd year)

Limited warranty for electronic components; parts only (2nd to 5th year)

Limited warranty for rust-through on stainless steel; parts only (lifetime)